

VIRGINIA KMP CORPORATION -- BLAST-A-COIL, BAC201 -- 8030-00-999-6313

=====
Product Identification
=====

Product ID:BLAST-A-COIL, BAC201
MSDS Date:01/19/1996
FSC:8030
NIIN:00-999-6313
Status Code:A
MSDS Number: CLGRF
=== Responsible Party ===
Company Name:VIRGINIA KMP CORPORATION
Address:4100-PLATINUM WAY
Box:24327
City:DALLAS
State:TX
ZIP:75237-1616
Country:US
Info Phone Num:214-330-7731, CHEMTRA
C 800-424-9300
Emergency Phone Num:1-800-424-9300
Preparer's Name:ERNEST CARTER
Chemtrec Ind/Phone:(800)424-9300
CAGE:58727
=== Contractor Identification ===
Company Name:VIRGINIA CHEMICALS INC CAGE CODE OBSOLETE
Address:OBSOLETE
Box:City:UNK
Country:US
Phone:0000000000
CAGE:58727

=====
Composition/Information on Ingredients
=====

Ingred Name:TRICHLOROETHYLENE
CAS:79-01-6
RTECS #:KX4550000
OSHA PEL:SEE TABLE Z-2
ACGIH TLV:269 MG/M3;50 PPM
ACGIH STEL:537 MG/M3;100 PPM
EPA Rp

t Qty:100 LBS
DOT Rpt Qty:100 LBS

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:INHALATION: EXCESSIVE INHALATION OF VAPORS CAN BE HARMFUL AND MAY CAUSE HEADACHE, DIZZINESS, ASPHYXIA, ANESTHETIC EFFECTS AND POSSIBLE. EYE CONTACT: VAPORS AND LIQUIDS IRRITATING TO EYES. SKIN CONTACT : IRRITANT TO SKIN. INGESTION:

POSSIBLE CHEMICAL PNEUMONITIS IF ASPIRATED INTO LUNGS. NAUSEA.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:NONE

Medical Cond Aggravated by Exposure:NONE

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. SEEK MEDICAL ADVICE. EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF RUNNING WATER FOR 15 MINUTES OCCASIONALLY LIFTING LOWER AND UPPER EYELIDS. SEEK MEDICAL ADVICE.SKIN CONTACT:WASH EXPOSED AREA WITH SOAP AND WATER. SEEK MEDICAL ADVICE IF SYMPTOMS DEVELOP. INGESTION: GIVE WATER. DO NOT INDUCE VOMITING. ASPIRATION INTO LUNGS MAY CAUSE CHEMICAL PNEUMONIA. SEEK IMMEDIATELY MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point:NONE

Autoignition Temp:Autoignition Temp Text:NONE

Lower Limits:NONE

Upper Limits:NONE

Extinguishing Media:USE CARBON DIOXIDE, ALCOHOL FOAM, DRY CHEMICAL.

Fire Fighting Procedures:DO NOT ENTER WITHOUT FULL BUNKER OF EQUIPMENT

INCLUDING SELF-CONTAINED BREATHING APPARATUS. STAY UPWIND, KEEP ALL PERSONNEL AWAY. COOL FIRE EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard:PRODUCT UNDER PRESSURE, MAY EXPLODE FROM EXCESSIVE HEAT. WATER MAY BE INEFFECTIVE TO FIGHT FIRE. TOXIC GASES MAY BE PRODUCED IN FIRE.

=====
Accidental Release Measures
=====

Spill Release Procedures:LAND SPILL: ABSORB SPILL WITH INERT, NON-COMBUSTIBLE MATERIAL, THEN P

LACE IN A CHEMICAL WASTE CONTAINER.

WATER SPILL: CONTAIN MATERIAL. COLLECT AND STORE IN A CHEMICAL WASTE CONTAINER.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:USE WITH ADEQUATE VENTILATION. AVOID SKIN/EYE CONTACT AND BREATHING VAPORS. DO NOT CUT, WELD, BRAZE, SOLDER, DRILL OR EXPOSE TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY.STORE IN A COOL, DRY PLACE AWAY FROM HEAT (