View NSN Online: https://aerobasegroup.com/nsn/9150-00-953-1694

Product ID:930-AA, LUBRIPLATE

MSDS Date:01/01/2000

FSC:9150

NIIN:00-953-1694

Status Code:A

MSDS Number: CLGZL === Responsible Party ===

Company Name: FISKE BROS REFINING CO

Address:129 LOCKWOOD ST

City:NEWARK

State:NJ

ZIP:07105-4720

Country:US

Info Phone Num:201-589-9150 Emergency Phone Num:800-255-

3924 CHEM-TEL

Preparer's Name: NOT PROVIDED

CAGE:73219

=== Contractor Identification ===

Company Name: FISKE BROS REFINING CO

Address:129 LOCKWOOD ST

Box:City:NEWARK

State:NJ

ZIP:07105-4720 Country:US

Phone:201-589-9150

CAGE:73219

Company Name: INDUSTRIAL SUPPLY CORP

Address:1905 WESTWOOD AVE

Box:6356

City:RICHMOND

State:VA ZIP:23230 Country:US

Phone:804-355-8041

Contract Num:SP0450-01-M-LJ97

CAGE:6A908

======= Composition/Information on Ingredients ========

Ingred Name: NON-HAZARDOUS

= Wt:100. Other REC Limits:NOT PROVIDED OSHA PEL:NOT PROVIDED ACGIH TLV:5 MG/M3 (OIL MIST)

========== Hazards Identification ===========================

LD50 LC50 Mixture: NOT PROVIDED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EFFECTS OF OVEREXPOSURE: PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION. PRODUCT CONTACTING THE EYES MAY CAUSE EYE IRRITATION. HUMAN HEALTH RISKS VARY FROM PERSON TO PERSON. AS A PRECA UTION, E

XPOSURE TO LIQUIDS, VAPORS,

MISTS AND FUMES SHOULD BE MINIMIZED. THIS PRODUCT HAS A LOW ORDER OF ACUTE ORAL TOXICITY, BUT MINUTE AMOUNTS ASPIRATED INTO THE LUNGS DURING INGESTION MAY CAUSE MIL D TO SEVERE PULMONARY INJURY.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION. PRODUCT CONTACTING THE EYES MAY CAUSE EYE IRRITATION.

Medical Cond Aggravated by Exposure: NOT PROVIDED

========	======= First
Aid Measures	=======================================

First Aid:EYE CONTACT: FLUSH WITH WATER FOR 15 MINUTES OR UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN. SKIN: REMOVE ANY CONTAMINATED CLOTHING AND WASH WITH SOAP AND WARM WATER. IF INJ ECTED BY HIGH PRESSURE UNDER THE SKIN, REGARDLESS OF ITS SIZE CONTACT PHYSICIAN IMMEDIATELY. DELAY MAY CAUSE LOSS OF AFFECTED PART OF THE BODY. INHALATION: VAPOR PRESSURE IS VERY LOW AND INHALATION AT ROOM TEMPERATURE IS NOT

A PROBLEM. IF OVERCOM BY


VAPOR FROM HOT PRODUCT, IMMEDIEATELY REMOVE FROM EXPOSURE AND CALL PHYSICIAN. INGESTION: CALL A PHYSICIAN IMMEDIATELY. DO NOT INDUCE VOMITING.

Flash Point Method: COC Flash Point:=204.4C, 400.F

Lower Limits:0.9 Upper Limits:7.0

Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE OR WATER SPRAY (FOG).

Fire Fighting Procedures: COOL EXPOSED CONTAINERS WITH WATER. USE AIR-SUPPLIED BR



Evaporation Rate & Deference: