

NORDSTROM VALVES INC DBA NORDSTROM AUDCO, INC. -- NORDSTROM 950 STICK SEALANT --
9150-00-261-8292

=====
Product Identification
=====

Product ID:NORDSTROM 950 STICK SEALANT

MSDS Date:07/10/2001

FSC:9150

NIIN:00-261-8292

Status Code:A

MSDS Number: CLHTY

=== Responsible Party ===

Company Name:NORDSTROM VALVES INC DBA NORDSTROM AUDCO, INC.

Address:1511 JEFFERSON ST.

City:SULPHUR SPRINGS

State:TX

ZIP:

75482

Country:US

Info Phone Num:903-885-4692/ 903-885-3151

Emergency Phone Num:(903) 885-3159

Resp. Party Other MSDS Num.:FILE NO: 950SR2

Preparer's Name:MICHAEL BRAZEAL

CAGE:06JW1

=== Contractor Identification ===

Company Name:GOURMET INQUE LTD

Address:191 STANLEY ST

Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-1555

Country:US

Phone:847-296-6192/FAX: 800-542-1042

Contract Num:SP0450-01-M-LM97

CAGE:0TNN7

Company Name:NORDSTROM VALVES INC DBA NORDSTROM AUDCO, INC.

Address:1511 JEFFERSON ST.

Box:

City:SULPHUR SPRINGS

State:TX

ZIP:75482

Country:US

Phone:903-885-4692/ 903-885-3151

CAGE:06JW1

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYESTER RESIN, (PROPRIETARY)

Minumum % Wt:85.

Maxumum % Wt:90.

Ingred Name:ORGANOPHILIC CLAY

CAS:71011-24-0

Minumum % Wt:10.

Maxumum % Wt:15.

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:INHIBITORS, (PROPRIETARY)

MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:PROPYLENE CARBONATE
CAS:108-32-7
RTECS #:FF9650000
Minumum % Wt:9.
Maxumum % Wt:11.

Ingred Name:AMIDE WAX
CAS:106-15-0
Minumum % Wt:5.
Maxumum % Wt:10.

Ingred Name:CALCIUM STEARATE
CAS:1592-23-0
RTECS #:WI3000000
Minumum % Wt:1.
Maxumum % Wt:2.
OSHA PEL:15 MG/M3
ACGIH TLV:10 MG/M3

=====
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: CONTACT WITH MA
TERIAL MAY CAUSE

IRRITATION. SKIN: PROLONGED OR REPEATED EXPOSURE MAY CAUSE
IRRITATION. INGESTION: MAY BE IRRITATING TO THE GASTROINTESTINAL
TRACT. INHALATION: NONE EXPECTED. NOTE : ALL INGREDIENTS ARE
ENCAPSULATED IN A NONHAZARDOUS MIXTURE. INJURY FROM AIRBORNE DUSTS
SHOULD NOT OCCUR UNDER NORMAL CONDITIONS. REFER TO OSHA/ACGIH
STANDARD NUISANCE DUST AND OSHA/ ACGIH TOTAL DUST GUIDELINES FOR
MORE INFORMATION.

Explanation of Carcinogenicity:THIS PRODUCT CONTAINS CRYSTAL
LINES SILICA

(LESS THAN 1% BY WEIGHT) WHICH HAS BEEN DETERMINED BY IARC TO BE A
POTENTIAL CARCINOGEN. THE ORGANOPHILIC CLAY USED IN THIS PRODUCT IS
ENCAPSULATED IN THE MIXTURE AND CANNOT BECOME AIRBORNE UNDER
NORMAL USAGE CONDITIONS.

Effects of Overexposure:EYES: IRRITATION. SKIN: IRRITATION. INGESTION:
IRRITATION OF GASTROINTESTINAL TRACT. INHALATION: NONE EXPECTED.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH EYES FOR 15 MIN

NUTES WITH WATER. CONTACT A

PHYSICIAN. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. INGESTION:
CONSULT A PHYSICIAN IMMEDIATELY. INHALATION: REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>160.C, 320.F

Autoignition Temp:Autoignition Temp Text:N/D

Extinguishing Media:DRY CHEMICAL POWDER, CARBON DIOXIDE, CHEMICAL FOAM.

Fire Fighting Procedures:WEAR A RESPIRATOR IN CONFINED SPACES WHEN
FIGHTING FIRES.

Unusual F

ire/Explosion Hazard:NONE KNOWN. INCOMPLETE COMBUSTION MAY

PRODUCE CARBON DIOXIDE, CARBON MONOXIDE, AND OTHER ASPHYXIANTS.

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER FREE MATERIAL. ADD ABSORBENT IF
APPLICABLE AND DISPOSE OF IN ACCORDANCE WITH APPLICABLE LOCAL,
STATE, AND FEDERAL REGULATIONS. WASH SPILL AREA WITH A DETERGENT
SOLUTION.

===== Handling and Storage =====

Handling and Stora

ge Precautions:STORE IN SEALED CONTAINERS TO AVOID
CONTAMINATION WITH FOREIGN MATERIAL.

Other Precautions:NONE KNOWN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED UNDER NORMAL USAGE CONDITIONS. NO
RESPIRABLE DUST EXPECTED.

Ventilation:NORMAL VENTILATION IN ACCORDANCE WITH GOOD ENGINEERING
PRACTICE.

Protective Gloves:USE RESISTANT GLOVES TO MINIMIZE SKIN CONTACT.

Eye Protection:SAFETY GLASSES RECOMMENDED AS STANDARD PRACTICE.

Other Protective Equipment:NONE UNDER NORMAL USAGE CONDITIONS.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V5

Vapor Pres:NIL

Spec Gravity:1.17@75F (H2O=1)

Evaporation Rate & Reference:NIL

Solubility in Water:SLIGHT TO NONE.

Appearance and Odor:TAN GREASE, STICK FORM, SEMISOLID/SOLID; SLIGHT
FATTY ODOR

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Mater

ials to Avoid: YES

AVOID STRONG OXIDIZERS.

Stability Condition to Avoid: PRODUCT IS STABLE. CONDITIONS TO AVOID:
AVOID FIRE.

Hazardous Decomposition Products: INCOMPLETE COMBUSTION MAY PRODUCE
CARBON DIOXIDE, CARBON MONOXIDE, AND OTHER ASPHYXIANTS. AVOID FIRE.

===== Toxicological Information =====

Toxicological Information: N/D

===== Ecological Information =====

Ecological: N/D

===== Disposal Considerations =
=====

Waste Disposal Methods: DISPOSE OF PRODUCT IN ACCORDANCE WITH ALL LOCAL,
STATE, AND FEDERAL REGULATIONS AS APPLICABLE. RCRA HAZARD CODE:
NONHAZARDOUS.

===== MSDS Transport Information =====

Transport Information: U.S. DEPARTMENT OF TRANSPORTATION (DOT): NOT
REGULATED, NONHAZARDOUS PRODUCT.

===== Regulatory Information =====

SARA Title III Information: CERCLA (COMPREHENSIVE RESPONSE COMPENSATION,
AND LIABILITY ACT): NONE. SARA TITLE III (SUPERFUND AMENDMENTS
AND REAUTHORIZATION ACT): NONE. SECTIONS 311/312 HAZARD CATEGORIES:
NONE. SECTION 313 REPORTABLE INGREDIENTS: NONE.

Federal Regulatory Information: TSCA (TOXIC SUBSTANCE CONTROL ACT): ALL
COMPONENTS ARE LISTED OR EXCLUDED.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the

Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.