

LA-CO INDUSTRIES, INC./MARKAL -- EPOXY TABS TYPE O

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-265-2895
MSDS Date: 06/11/1998
MSDS Num: CLJMC
Product ID: EPOXY TABS TYPE O
MFN: 02
Responsible Party
Cage: 08854
Name: LA-CO INDUSTRIES, INC./MARKAL CO.
Address: 1201 PRATT BLVD.
City: ELK GROVE VI
LLAGE IL 60007-5746
Info Phone Number: 847-956-7600
Emergency Phone Number: (800)424-9300
Preparer's Name: HENRY SIMMONS
Chemtrec IND/Phone: (800)424-9300
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 08854
Name: LA-CO INDUSTRIES, INC./MARKAL CO.
Address: 1201 PRATT BLVD.
City: ELK GROVE VILLAGE IL 60007-5746
Phone: 847-956-7600

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: BX
Quantitative Expression: 0000000024EA
UI Container Qty: 1

=====
Ingredients
=====

Cas: 25068-38-6
RTECS #: CE6880000
Name: BISPHENOL A-EPICHLOROHYDRIN EPOXY RESIN
Percent by Wt: 15.

Cas: 140-31-8
RTECS #: TK8050

000

Name: AMINO ETHYL PIPERAZINE

Cas: 25154-52-3

RTECS #: SM5600000

Name: NONYLPHENOL

Cas: 112-57-2

RTECS #: KH8585000

Name: TETRAETHYLENEPENTAMINE

Health Hazards Data

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: NO

IARC: NO

OSHA: NO

Effects of Exposure: CAN CAUSE BURNS TO SKIN AND EYES. CAN CAUSE DAMAGE TO MU

COUS MEMBRANES. IF SWALLOWED, PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN SENSITIZATION OR OTHER SENSITIZATION OR OTHER ALLERGIC RESPONSE.

Signs And Symptoms Of Overexposure: IRRITATION AS NOTED. SKIN SENSITIZATION MAY BE EVIDENCED BY RASHES, ESPECIALLY HIVES.

Medical Cond Aggravated By Exposure: PRE-EXISTING SKIN ALLERGIES.

First Aid: EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES WHILE LIFTING UPPER AND LOWER EYELIDS, GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. GET MEDIC

AL ATTENTION IF ALLERGIC REACTION OCCURS. INGEST ION: DO NOT INDUCE VOMITING. IF VICTIM IS CONSCIOUS. GIVE WATER. GET MEDICAL ATTENTION.

INHALATION: REMOVE VICTIM TO FRESH AIR. ADMINISTER OXYGEN IF NEEDED. GET MEDICAL ATTENTION.

Handling and Disposal

Spill Release Procedures: SWEEP OR SCRAPE UP.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS.

Handling A

nd Storage Precautions: STORE AWAY FROM EXCESSIVE HEAT, AVOID EYE CONTACT AN EXCESSIVE SKIN CONTACT.

Other Precautions: REWRAP UNUSED PORTION IN PROTECTIVE WRAPPER.

Fire and Explosion Hazard Information

Flash Point Method: CC

Flash Point: >204.4C, 400.F

Extinguishing Media: FOAM, DRY CHEMICAL, CARBON DIOXIDE.

Fire Fighting Procedures: USE NIOSH APPROVED SELF-CONTAINED BREATHING

APPARATUS. MATERIAL WILL NOT BURN UNLESS PRE-HEATED.

Unusual Fire/Explosion Hazard: NONE

=====

Control Measures

=====

Ventilation: LOCAL EXHAUST: USED IN ENCLOSED AREAS. MECHANICAL(GENERAL):
RECOMMENDED

Protective Gloves: RUBBER

Eye Protection: SAFETY GLASSES OR GOGGLES

Work Hygienic Practices: WASH HANDS THOROUGHLY AFTER USE AND BEFORE EATING,
DRINKING OR SMOKING

=====

=====

Physical/Chemical Properties

=====

Spec Gravity: >1

Solubility in Water: NEGLIGIBLE

Appearance and Odor: PUTTY CONSISTENCY APPEARANCE AND AN AMMONIA-LIKE ODOR

=====

Reactivity Data

=====

Stability Indicator: YES

Stability Condition To Avoid: EXCESSIVE HEAT

Materials To Avoid: STRONG OXIDIZING AGENTS, LEWIS OR MINER
AL ACIDS.

Hazardous Decomposition Products: OXIDES OF CARBON AND NITROGEN.

Hazardous Polymerization Indicator: NO

=====

HAZCOM Label

=====

Product ID: EPOXY TABS TYPE O

Cage: 08854

Company Name: LA-CO INDUSTRIES, INC./MARKAL CO.

Street: 1201 PRATT BLVD.

City: ELK GROVE VILLAGE IL

Zipcode: 60007-5746

Health Emergency Phone: (800)424-9300

Label Required IND: Y

Date Of Label Review: 08/17/2001

Statu

s Code: A

Origination Code: G

Hazard And Precautions: CAN CAUSE BURNS TO SKIN AND EYES. CAN CAUSE DAMAGE TO MUCOUS MEMBRANES. IF SWALLOWED, PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN SENSITIZATION OR OTHER SENSITIZATION OR OTHER ALLERGIC RESPONSE.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in n

o manner whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to

verify

and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.