View NSN Online: https://aerobasegroup.com/nsn/8040-01-282-1332

DOW CORNING CORP -- TRADE MATE (R) SHOWER ENCLOSURE SEALANT, TRNS WHITE 8040-01-282-1332

============= Product Identification ==================

Product ID:TRADE MATE (R) SHOWER ENCLOSURE SEALANT, TRNS WHITE

MSDS Date:07/31/1990

FSC:8040

NIIN:01-282-1332 Status Code:A

MSDS Number: CLJMN === Responsible Party ===

Company Name: DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Co

untry:US

Info Phone Num:517-496-6000/517-496-6315

Emergency Phone Num:(800)424-9300 Preparer's Name:HENRY SIMMONS Chemtrec Ind/Phone:(800)424-9300

CAGE:5D028

=== Contractor Identification ===

Company Name: DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

======= Composition/Information on Ingredients ========

Ingred Name: METHYLTRIACETOXYSILANE

CAS:4253-34-3

RTECS #: VV4500000

= Wt:2. OSHA PE L:10 PPM **ACGIH TLV:10 PPM ACGIH STEL:15 PPM** Ingred Name: ETHYLTRIACETOXYSILANE CAS:17689-77-9 = Wt:2. **OSHA PEL:10 PPM ACGIH TLV:10 PPM** ACGIH STEL:15 PPM Ingred Name: SILICA, AMORPHOUS CAS:7631-86-9 = Wt:10. OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3 =========== Hazards Identification ========================== Effects of Overexposure: EYE: CONTACT IRRITATES SLIGHTLY TO MODERATELY WITH REDNESS AND SWELLING. SKIN: A SINGLE SHORT EXPOSURE (LESS THAN 24 HOURS) MAY IRRITATE. REPEATED **PROLONG ED CONTACT** (24 TO 48 HOURS) MAY IRRITATE MODE RATELY. INHALATION: VAPOR **OVEREXPOSURES MAY** IRRITATE EYES, NOSE, AND THROAT. ORAL: SMALL AMOUNTS TRANSFERRED TO THE **MOUTH BY** FINGERS DURING USE, ETC, ETC., SHOULD NOT INJURE. SWALLOWING LARGE AMOUNT S OF MAY CAUSE DIGESTIVE DISCOMFORT. First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WIPE OFF AND FLUSH WITH WATER. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS. INHALATION; REMOVE TO FRESH AIR. ORAL: NO FIRST SHOU LD BE NEEDED. Flash Point Method:CC Flash Point:>100.C, 212.F Extinguishing Media: WATER FOG, DRY CHEMICAL, FOAM, AND OTHERS.

Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS AND

PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING

CHEMICALS.

Unusual Fire/Explosion Hazard:NONE

======= Accidental Release Me

asures ====================================
Spill Release Procedures:REMOVE PRODUCT CONTAIN FOR SALVAGE OR DISPOSAL.
========== Handling and Storage ===========
Handling and Storage Precautions:STORE BELOW 90F/32C. KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions:PRODUCT FORMS ACETIC ACID (HOAC) WHEN EXPOSED TO WATER OR HUMID AIR. PROVIDE VENTILATION DURING USE TO CONTROL HOAC EXPOSURE WITHIN 10 PPM (CURRENT TLV) OR USE RESPIRATORY PROTECTION.
====== Ex posure Controls/Personal Protection ========
Respiratory Protection: USE RESPIRATORY PROTECTION UNLESS LOCAL EXHAUST IS ADEQUATE OR AIR SAMPLING DATA SHOWS ARE WITHIN TLV AND PEL GUIDELINES Ventilation: VENTILATION: LOCAL EXHAUST: MAY BE NEEDED. Protective Gloves: RUBBER OR PLASTIC GLOVES ARE RECOMMENDED. Eye Protection: USE PROPER PROTECTION? SAFETY GLASSES AS A MINIMUM. Work Hygienic Practices: WASHING AT MEALTIME AND END OF SHIFT IS ADEQUATE. REMOVE CONTAMINATED CLOTHING AND SH OES AS SOON AS PRACTICAL AND CLEAN THOROUGHLY BEFORE REUSE Supplemental Safety and Health
========= Physical/Chemical Properties =========
Vapor Pres:< 5MM Vapor Density:>1 Spec Gravity:1.04 Solubility in Water:LESS THAN 0.1 Appearance and Odor:ACETIC ACID-LIKE, PASTE, TRANSLUCENT WHITE
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIALS CAN CAUSE A REACTION. AIR OR MOISTURE CAUSES CURING

AND ACETIC ACID VAPORS FORM.

Stability Condition to Avoid: EXPOSURE TO AIR OR MOISTURE UNTIL READY TO USE

Hazardous Decomposition Products:METAL OXIDES, SILICON DIOXIDE, CARBON DIOXIDE, AND TRACES OF INCOMPLETELY BURNED CARBON PRODUCT

======== Regulatory Information ============

SARA Title III Information:SEC 312 HAZARD CLASS: IMMEDIATE SEC. 313 NOTIFICATION: NOT APPLICABLE - EITHER NONE PRESENT OR NONE PRESENT IN REGULATED QUANTITIES.

State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their par

ticular situation.