View NSN Online: https://aerobasegroup.de/nsn/5930-01-366-0049

PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY -- POLYTHIOETHER POLYMER COMPOUND PR1829 B-1/2 -BASE COMPOUND -- 8030-01-366-0049

============= Product Identification ========================

Product ID:POLYTHIOETHER POLYMER COMPOUND PR1829 B-1/2 -BASE COMPOUND

MSDS Date:09/03/1998

FSC:8030

NIIN:01-366-0049 Status Code:A

MSDS Number: CLKMC === Responsible Party ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG I

NDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:(800)424-9300 Preparer's Name:HENRY SIMMONS Chemtrec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

====== Composition/Information on Ingred

ients ========

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7 RTECS #:XR2275000

< Wt:5.

OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name: CALCIUM CARBONATE @ LIMESTONE

CAS:1317-65-3

RTECS #:EV9580000

= Wt:25.

OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name:2-ETHOXYETHANOL

CAS:110-80-5

RTECS #:KK8050000

< Wt:5.

OSHA PEL:740 MG/M3:200 PPM

AND DAMAGE TO THE TES TICLES IN LABORATORY ANIMALS. THIS CHEMICAL IS ON THE LIST ENTITLED ?CHEMICAL KNOWN BY THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE TOXICITY.  ===================================	CAS:67762-90-7
ETHYLENE GLYCOL MONOETHYL ETHER EYES: MAY CAUSE BURNING, TEARING, REDDENING, POSSIBLE TRANSIENT CORNEAL INJURY. INH ALATION: MAY CAUSE NASAL AND RESPIRATORY IRRITATION. INGESTION: MAY CAUSE NAUSEA, VOMITING, ABDOMINAL DISCOMFORT AND DIARRHEA. CERTAIN GLYCOL ETHERS HAVE BEEN FOUND TO CAUSE BIRTH DEFECTS AND DAMAGE TO THE TES TICLES IN LABORATORY ANIMALS. THIS CHEMICAL IS ON THE LIST ENTITLED CHEMICAL KNOWN BY THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE TOXICITY.  ===================================	CAS:21645-51-2
REDDENING, POSSIBLE TRANSIENT CORNEAL INJURY. INH ALATION: MAY CAUSE NASAL AND RESPIRATORY IRRITATION. INGESTION: MAY CAUSE NAUSEA, VOMITING, ABDOMINAL DISCOMFORT AND DIARRHEA. CERTAIN GLYCOL ETHERS HAVE BEEN FOUND TO CAUSE BIRTH DEFECTS AND DAMAGE TO THE TES TICLES IN LABORATORY ANIMALS. THIS CHEMICAL IS ON THE LIST ENTITLED ?CHEMICAL KNOWN BY THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE TOXICITY.  ===================================	============ Hazards Identification =============
POSSIBLE TRANSIENT CORNEAL INJURY. INH ALATION: MAY CAUSE NASAL AND RESPIRATORY  IRRITATION. INGESTION: MAY CAUSE NAUSEA, VOMITING, ABDOMINAL DISCOMFORT AND DIARRHEA. CERTAIN GLYCOL ETHERS HAVE BEEN FOUND TO CAUSE BIRTH DEFECTS AND DAMAGE  TO THE TES  TICLES IN LABORATORY ANIMALS. THIS CHEMICAL IS ON THE LIST ENTITLED  ?CHEMICAL KNOWN BY THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE TOXICITY.  ===================================	·
IRRITATION. INGESTION: MAY CAUSE NAUSEA, VOMITING, ABDOMINAL DISCOMFORT AND DIARRHEA. CERTAIN GLYCOL ETHERS HAVE BEEN FOUND TO CAUSE BIRTH DEFECTS AND DAMAGE TO THE TES TICLES IN LABORATORY ANIMALS. THIS CHEMICAL IS ON THE LIST ENTITLED ?CHEMICAL KNOWN BY THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE TOXICITY.  ===================================	POSSIBLE TRANSIENT CORNEAL INJURY. INH ALATION: MAY CAUSE NASAL AND
DIARRHEA. CERTAIN GLYCOL ETHERS HAVE BEEN FOUND TO CAUSE BIRTH DEFECTS AND DAMAGE  TO THE TES  TICLES IN LABORATORY ANIMALS. THIS CHEMICAL IS ON THE LIST ENTITLED  ?CHEMICAL KNOWN BY THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE TOXICITY.  ===================================	IRRITATION. INGESTION: MAY CAUSE NAUSEA, VOMITING, ABDOMINAL DISCOMFORT
TICLES IN LABORATORY ANIMALS. THIS CHEMICAL IS ON THE LIST ENTITLED  ?CHEMICAL KNOWN BY THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE TOXICITY.  ===================================	DIARRHEA. CERTAIN GLYCOL ETHERS HAVE BEEN FOUND TO CAUSE BIRTH DEFECTS AND DAMAGE
?CHEMICAL KNOWN BY THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE TOXICITY.  ===================================	TICLES IN LABORATORY ANIMALS. THIS CHEMICAL IS ON THE LIST
First Aid:EYES: FLUSH WITH WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSISTS, CONSULT A PHYSICIAN.  SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSISTS, CONSULT A PHYSICIAN. INHALATION:REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT, CONSULT A PHYSICIAN INGESTION: CONSUL  T A PHYSICIAN.  ===================================	?CHEMICAL KNOWN BY THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE
PERSISTS, CONSULT A PHYSICIAN.  SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSISTS, CONSULT A PHYSICIAN. INHALATION:REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT, CONSULT A PHYSICIAN INGESTION: CONSUL TA PHYSICIAN.  ===================================	======================================
Flash Point:>93.3C, 200.F Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:HIGH TEMPERATURE MAY CAUSE PRESSURE	PERSISTS, CONSULT A PHYSICIAN.  SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSISTS, CONSULT A PHYSICIAN. INHALATION:REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT, CONSULT A PHYSICIAN INGESTION: CONSUL  T A
Flash Point:>93.3C, 200.F Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:HIGH TEMPERATURE MAY CAUSE PRESSURE	
BUILDUP IN CLOSED CONTAINERS	Flash Point:>93.3C, 200.F Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:HIGH TEMPERATURE MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN

**VATIVES** 

SUITABLE SOLVENT.
========== Handling and Storage ============
Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID INGESTION.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE Ventilation:GENERAL VENTILATION. Protective Gloves:SOLVENT RESISTANT GLOVES. Eye Protection:SAFETY GLASSES. Other Protective Equipment:NONE KNOWN Supplemental Safety and Health
========= Physical/Chemical Properties =========
Vapor Density:>AIR Spec Gravity:1.43 VOC Pounds/Gallon:18 Evaporation Rate & Deference: NON VOLATILE Appearance and Odor: WHITE THIXOTROPIC PASTE Percent Volatiles by Volume:0
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NOT KNOWN Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR DIOXIDE, TR ACES OF HYDROGEN SULFIDE
========= Disposal Considerations ===============
Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL TO DISPOSAL OF SPILLAGE.
Disclains a formation design this information has the appropriate and the control of the control

-UP RESIDUE WITH A

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informati

on to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.