

THE DEXTER CORPORATION -- WHITE HIGH BUILD FILLER PUTTY -- 8030-00-518-3441
===== Product Identification =====

Product ID:WHITE HIGH BUILD FILLER PUTTY

MSDS Date:01/07/1997

FSC:8030

NIIN:00-518-3441

Status Code:A

MSDS Number: CLKWZ

=== Responsible Party ===

Company Name:THE DEXTER CORPORATION

Address:1 EAST WATER STREET

City:WAUKEGAN

State:IL

ZIP:60085

Country:US

Info Phone Num:847-623-4200

Eme

rgency Phone Num:800-424-9300

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:91342

=== Contractor Identification ===

Company Name:DEXTER CORP THE PACKAGING PRODUCTS DIV

Address:1-7 E WATER ST

Box:City:WAUKEGAN

State:IL

ZIP:60085-5614

Country:US

Phone:847-623-4200

CAGE:91342

===== Composition/Information on Ingredients =====

Ingred Name:CRYSTALLINE SILICA (QUARTZ)

CAS:14808-60-7

Code:F

RTECS #:VV7330000

< Wt:10.

OSHA PEL:SEE TABLE Z-3

ACGIH TLV:0.1 MG/M

Ingred Name:CRYSTALLINE SILICA (CRISTOBALITE)

CAS:14464-46-1

Code:F

RTECS #:VV7325000

< Wt:10.

OSHA PEL:SEE TABLE Z-3

ACGIH TLV:0.05 MG/M3

Ingred Name:BUTYL ACETATE

CAS:123-86-4

RTECS #:AF7350000

< Wt:10.

OSHA PEL:710 MG/M3;150 PPM

ACGIH TLV:713 MG/M3;150 PPM

ACGIH STEL:950 MG/M3;200 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:BUTYL ALCOHOL

CAS:71-36-3

RTECS #:EO1400000

< Wt:10.

OSHA PEL:300 MG/M3;100 PPM

ACGIH STEL:C152 MG/M3;C50 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:

5000 LBS

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000

Minumum % Wt:10.

Maxumum % Wt:20.

OSHA PEL:240 MG/M3;50 PPM

ACGIH TLV:121 MG/M3;25 PPM

Ingred Name:METHYL ETHYL KETONE

CAS:78-93-3

RTECS #:EL6475000

< Wt:10.

OSHA PEL:590 MG/M3;200 PPM

ACGIH TLV:590 MG/M3;200 PPM

ACGIH STEL:885 MG/M3;300 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE

Routes of Entry: Inhalation:YES Skin:YES Ingest

ion:YES

Health Hazards Acute and Chronic:NONE

Effects of Overexposure:INHALATION MAY CAUSE IRRITATION OF THE
RESPIRATORY TRACT. SKIN OR EYE CONTACT: IRRITANT TO THE EYES AND
SKIN.

Medical Cond Aggravated by Exposure:NONE

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE FROM EXPOSURE. EYE CONTACT: FLUSH WITH
LARGE AMOUNTS OF RUNNING WATER FOR AT LEAST 15 MINUTES. SKIN
CONTACT: WASH SKIN WITH SOAP AND WATER. INGESTION: DRINK WATE
R.

=====
===== Fire Fighting Measures =====

Flash Point Method:SCC

Flash Point:=-6.1C, 21.F

Autoignition Temp:Autoignition Temp Text:NONE

Lower Limits:1.10%

Upper Limits:NONE

Extinguishing Media:USE WATER FOG, FOAM, DRY CHEMICAL, OR CARBON
DIOXIDE.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE WITH INERT ABSORBENT AND NON-SPARKING
TOOLS.

REMOVE ALL SOURCES OF IGNITION. AVOID BREATHING VAPORS.
VENTILATE AREA.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Other Precautions:

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED AIR LINE TYPE
RESPIRATORS WHERE VENTILATION DOES NOT DILUTE THE TWA/PEL OF THE
MATERIAL.

Ventilation:PROVIDE GENERAL DILUTION OR LOCAL EXHAUST VENTILATION.

Protective Gloves:CHEMICAL

RESISTANT GLOVES ARE REQUIRED.

Eye Protection:USE SAFETY EYEWARE.

Other Protective Equipment:NONE

Work Hygienic Practices:NONE

Supplemental Safety and Health

DO NOT TAKE INTERNALLY. CONTAINERS SHOULD BE GROUNDED WHEN POURING.

AVOID FREE FALL OF LIQUID IN EXCESS OF A FEW INCHES. MAKE SURE THE DRUM IS COMPLETELY EMPTY BEFORE ATTEMPTING TO WELD OR BRAZE. DRUM SHOULD BE INDUSTRIALLY CLEANED BEFORE USE.

===== Physical/Chemical Properties =====

Boiling

Pt:B.P. Text:175-343 DEG F

Melt/Freeze Pt:M.P/F.P Text:NONE

Decomp Temp:Decomp Text:NONE

Vapor Density:>AIR

Percent Volatiles by Volume:13.032

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:FUMES MAY CONTAIN CARBON MONOXIDE AND OXIDES OF NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods:

=====

===== Regulatory Information =====

SARA Title III Information:CLEAN AIR ACT (HAZARDOUS AIR POLLUTANTS)

EXTREMELY HAZARDOUS SUBSTANCE, SEC. 302 TOXIC CHEMICAL, SEC.

313:Federal Regulatory Information:NONE

State Regulatory Information:STATE OF CALIFORNIA SAFE DRINKING WATER

AND TOXIC ENFORCEMENT ACT OF 1986, PROPOSITION 65 (PROP.65)

WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.