View NSN Online: https://aerobasegroup.de/nsn/6550-01-354-9460

Product ID:230006, HARRIS HAEMATOXYLIN

MSDS Date:02/11/1997

FSC:6550

NIIN:01-354-9460 Status Code:A

MSDS Number: CLLLL === Responsible Party ===

Company Name: SHANDON INC DBA SHANDON LIPSHAW

Address:171 INDUSTRY DRIVE

City:PITTSBURGH

State:PA ZIP:15275 Country:US

Info Phone Num:412-

788-1133 INFO 800-245-6212

Emergency Phone Num:813-979-0626 CHEM-TEL Resp. Party Other MSDS Num.:P/N:230006 REV 2

Preparer's Name: NOT PROVIDED

CAGE:17602

=== Contractor Identification ===

Company Name: SHANDON INC DBA SHANDON LIPSHAW

Address:171 INDUSTRY DRIVE

Box:City:PITTSBURGH

State:PA ZIP:15275 Country:US

Phone: 412-788-1133 INFO 800-245-6212

CAGE:17602

======= Composition/Information on Ingredients ========

Ingred Name: ALUMINUM AMMONIUM SULFATE

CAS:7784-26-1 Minumum % Wt:5.

Max

umum % Wt:15. Other REC Limits:2 MG/M3 OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3

Ingred Name:ETHANOL CAS:64-17-5

RTECS #:KQ6300000

< Wt:5.

Other REC Limits:1900 MG/M3 OSHA PEL:1900 MG/M3;1000 PPM ACGIH TLV:1880 MG/M3;1000 PPM

Ingred Name: GLACIAL ACETIC ACID

CAS:64-19-7

RTECS #:AF1225000

< Wt:5.

Other REC Limits:25 MG/M3 OSHA PEL:25 MG/M3;10 PPM ACGIH TLV:25 MG/M3;10 PPM ACGIH STEL:37 MG/M3;15 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM IODATE CAS:7681-55-2 RTECS #:NN140000

U

< Wt:1.

Other REC Limits:NOT PROVIDED OSHA PEL:NOT PROVIDED

ACGIH TLV:NOT PROVIDED

Ingred Name: HAEMATOXYLIN

CAS:517-28-2

RTECS #:MH7875000

< Wt:1.

Other REC Limits: NOT PROVIDED

OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

Ingred Name:METHANOL

CAS:67-56-1

RTECS #:PC1400000

< Wt:1.

Other REC Limits:260 MG/M3 OSHA PEL:260 MG/M3;200 PPM ACGIH TLV:262 MG/M3;200 PPM ACGIH STEL:328 MG/M3;250 PPM

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

===========

LD50 LC50 Mixture: NOT PROVIDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: SPLASHES AND VAPORS MAY GIVE IRRITATION AND BLURRED VISION. SKIN: IRRITATION WITH REDNESS. METHANOL CAN BE ABSORBED THROUGH SKIN AND PROLONGED/REPEATED EXPOSURES CAUSE TOXIC EFFECTS. INHALATION: VAPORS MAY IRRITATE MUCOUS MEMBRANES AND INDUCE HEADACHE, NAUSEA, VOMITING AND DIZZINES

S. DEVELOPMENT OF LUNG EDEMA IS POSSIBLE. BE AWARE THAT SYMPTOMS (DYSPNEA) CAN DEVELOP SEVERAL HOURS AFTER EXPOS URE. INGESTION: MAY RESULT IN VOMITING, NAUSEA, HEADACHE, DIZZINESS, VISUAL DISTURBANCES AND BLINDNESS. PROLONGED OR FREQUENT EXPOSURE TO VAPORS OF VOC'S MAY RESULT IN DAMAGE ON LIVER, KIDNEYS, BLOOD OR CENTRAL NERVOUS SYSTEM (BRAIN DAMAGE)

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES: SPLASHES AND VAPORS MAY GIVE IRRITATION AND BLURRED VIS

ION. SKIN: IRRITATION WITH REDNESS. INHALATION:

VAPORS MAY IRRITATE MUCOUS MEMBRANES AND INDUCE HEADACHE, NAUSEA, VOMITING AND DIZZINESS. I NGESTION: MAY RESULT IN VOMITING, NAUSEA, HEADACHE, DIZZINESS, VISUAL DISTURBANCES AND BLINDNESS.

Medical Cond Aggravated by Exposure: NOT PROVIDED

	First Aid Measures	
--	--------------------	--

First Aid:IF ANY SYMPTOMS OCCUR: SEEK MEDICAL ADVICE. SHOW THIS SAFETY DATA SHEET TO A PHYSICIAN OR EMERGENCY WARD. EYE: FLUSH WITH WATER

OR PHYSIOLOGICAL SALT WATER FOR 15 MINUTES. REMEMBER TO REMOVE CONTACT L ENSES. SKIN: REMOVE CONTAMINATED CLOTHING AND WASH SKIN WITH WATER AND MMILD SOAP. FLUSH 15 MINUTES WITH WATER. INHALTION: REMOVE TO FRESH AIR. KEEP AT REST. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATIO N AS NEEDED. INGESTION: RINSE MOUTH AND DRINK PLENTY OF WATER. KEEP UNDER SURVEILLANCE.

	Fire Fighting Measures	
--	------------------------	--

Flash Point: COMBUSTIBLE LIQ.

Ex

tinguishing Media:USE CARBON DIOXIDE OR DRY CHEMICAL FOR SMALL FIRES. USE ALCOHOL TYPE FOAM FOR LARGE FIRES.

Fire Fighting Procedures:APPLICATION OF WATER FOG/SPRAY WILL AID IN KEEPING FIRE-EXPOSED MATERIALS COOL. IN CASE OF FIRE THE PRODUCT MAY FORM HAZARDOUS DECOMPOSITION PRODUCTS SUCH AS OXIDES OF CARBON, NITROGEN, SULFUR AND ALU MINUM. WHEN EXTINGUISHING FIRES USE BREATHING APPARATUS WITH AN INDEPENDENT SOURCE OF AIR. REMOVE CONTAINERS IF POSSIBLE

Unusual Fire/Explosi on Hazard:NOT PROVIDED

======== Accidental Release Measures ============

Spill Release Procedures:PROVIDE FOR SUFFICIENT VENTILATION/RESPIRATORY PROTECTION. SWEEP UP WITH PAPER TOWELLING OR OTHER ABSORBENT MATERIAL. FLUSH WITH WATER. STAINED AREAS CAN BE DECOLORIZED WITH AN ACID SOLUTION. DO NOT E MPTY INTO DRAINS. IF THE PRODUCT CONTAMINATES LAKES, RIVER, SEWAGES, INFORM APPROPRIATE AUTHORITIES IN ACCORDANCE WITH LOCAL REGULATIONS.

Neutralizing Agent:NOT PROVIDED

========== Handling and Storage =============

Handling and Storage Precautions:THERE SHALL BE ACCESS TO WATER. WASH WITH SOAP AND WATER AFTER WORK. STORE IN DRY, AT ROOM TEMPERATURE AND WELL VENTILATED. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. DO NOT STORE IN DIRECT SUNLIG HT.

Other Precautions: NOT PROVIDED

===== Exposure Controls/Personal Protection ========

Respiratory Protection: WHEN RISK OF INHALING VAPORS: USE MASK WITH A

GAS FILTER TYPE AX. USE A PARTICLE FILTER P2 SL AS PREFILTER.

Ventilation:PROVIDE ADEQUATE VENTILATION.

Protective Gloves:BUTYL RUBBER

Eye Protection: SAFETY GOGGLES WHEN RISK OF SPLATTERING.

Work Hygienic Practices: AVOID BRATHING OF VAPORS AND CONTACT WITH SKIN, EYES AND CLOTHES.

Supplemental Safety and Health

ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT AVAILABLE. N/K = UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT ESTABLISHED. CNS = CENTRAL N

ERVOUS SYSTEM. GI
= GASTROI NTESTINAL. SCBA = SELF CONTAINED BREATHING APPARATUS.

======== Physical/Chemical Properties ==========

HCC:N1

NRC/State Lic Num: NOT RELEVANT

Boiling Pt:=99.4C, 210.9F

Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED Decomp Temp:Decomp Text:NOT PROVIDED

Vapor Pres:NOT PROVIDED

Vapor Density:~1

Spec Gravity: NOT PROVIDED

pH:NOT PROVIDED

Viscosity:NOT PROVIDED

Evaporation Rate & Evaporation R

Solubility in Water: COMPLETE

Appearance and Odor:

PURPLE-RED LIQUID; SLIGHT VINEGAR ODOUR.

Percent Volatiles by Volume: NOT PROVIDED

Corrosion Rate: NOT PROVIDED

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

ACIDS, ALKALIES AND STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: HEATING

Hazardous Decomposition Products:OXIDES OF CARBON, NITROGEN, SULFUR AND ALUMINUM

======== Toxicological Information ============

Toxicological Information: EYES: SPLASHES AND VAPORS MAY GIVE IRRITATION

AND BLURRED VISION. SKIN: IRRITATION WITH REDNESS. METHANOL CAN BE ABSORBED THROUGH SKIN AND PROLONGED/REPEATED EXPOSURES CAUSE TOXIC EFFECTS. INHALATION: VAPORS MAY IRRITATE MUCOUS MEMBRANES AND INDUCE HEADACHE, NAUSEA, VOMITING AND DIZZINESS. DEVELOPMENT OF LUNG EDEMA IS POSSIBLE. BE AWARE THAT SYMPTOMS (DYSPNEA) CAN DEVELOP SEVERAL HOURS AFTER EXPOS URE. INGESTION: MAY RESULT IN VOMITING, NAUSEA, HEADACHE, DIZZINESS, VISUAL DISTURBAN

SYSIEM.
========== Ecological Information ============
Ecological:DO NOT EMPTY INTO WATERS OR DRAINS.
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSAL SHOULD BE ACCORDING TO LOCAL, STATE AND NATIONAL LEGISLATION. DISPOSE OF THROUGH AUTHORITY FACILITIES OR PASS TO CHEM ICAL DISPOSAL COMPANY.
========= MSDS Transport Information ==========
Transport Information:THE PRODUCT IS NOT CONSIDERED AS HAZARDOUS ACCORDING TO ANY TRANSPORTATION REGULATION.
========== Regulatory Information ============
SARA Title III Information:NOT PROVIDED Federal Regulatory Information:NOT PROVIDED State Regulatory Information:NOT PROVIDED
======================================
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

BLINDNESS. PROLONGED OR FREQUENT EXPOSURE TO VAPORS OF VOC'S MAY

RESULT IN DAMAGE ON LIVER, KIDNEYS, BLOOD OR CENTRAL NERVOUS

CES AND

particular situation.