

DEL PAINT MFG -- LATEX PROLINE WHITE -- 5920-01-238-7449

=====  
Product Identification  
=====

Product ID:LATEX PROLINE WHITE  
MSDS Date:06/21/1999  
FSC:5920  
NIIN:01-238-7449  
Status Code:A  
MSDS Number: CLLZF  
=== Responsible Party ===  
Company Name:DEL PAINT MFG  
Address:3105 EAST RENO  
City:OKLAHOMA CITY  
State:OK  
ZIP:73117  
Country:US  
Info Phone Num:405-672-1431  
Emergency Phone Num:1-800-424-9300  
Preparer'  
s Name:ERNEST CARTER  
Chemtrec Ind/Phone:(800)424-9300  
CAGE:39934

==== Contractor Identification ====

Company Name:DEL PAINT MFG  
Address:3105 EAST RENO  
Box:City:OKLAHOMA CITY  
State:OK  
ZIP:73117  
Country:US  
Phone:405-672-1431  
CAGE:39934

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHYLENE GLYCOL  
CAS:107-21-1  
RTECS #:KW2975000  
= Wt:.94  
ACGIH STEL:C127 MG/M3;C50 PPM  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

=====  
Hazards Identification  
=====

=====

Routes of Entry: Inhalation:UNKNOWN Skin:UNKNOWN Ingestion:YES  
Effects of Overexposure:MAY CAUSE SOME NAUSEA IF INGESTED.

===== First Aid Measures =====

First Aid:IF INGESTED: GIVE 2 GLASSES OF WATER AND INDUCE VOMITING BY  
PUTTING FINGER DOWN THROAT. SKIN: FLUSH WITH WATER. EYES FLUSH  
WITH WATER.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:=116.1C, 241.F  
Lower Limits:3.2%  
Exting  
uishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG,  
Unusual Fire/Explosion Hazard:THE PRODUCT WILL NOT BURN UNTIL WATER  
HAS EVAPORATED.

===== Accidental Release Measures =====

Spill Release Procedures:MAJOR SPILLS SHOULD BE COLLECTED FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE ABOVE 32 F.  
Other Precautions:DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF  
CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:APPROVED MECHANICAL FILTER RESPIRATOR TO REMOVE  
SOLID AIRBORNE PARTICLES OF OVER-SPRAY DURING SPRAY APPLICATION.  
Ventilation:NORMAL SUCH AS FAN.  
Protective Gloves:PROTECTIVE GLOVES: DESIRABLE.  
Eye Protection:SAFETY GLASSES.  
Other Protective Equipment:EYE BATH.  
Work Hygienic Practices:WASH HANDS AND FACE BEFORE EATING.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

=====

Boiling Pt:B.P. Text:212-387 F  
Vapor Density:HEAVIER  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Percent Volatiles by Volume:71.63%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Hazardous Decomposition Products:RESIDUALS CAN BURN AND PRODUCE CARBON  
MONOXIDE & CARBON DIOXIDE.  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposa  
I Methods:BURY IN A LANDFILL WHERE PERMITTED UNDER  
APPROPRIATE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice  
to verify and  
assume responsibility for the suitability of this information to their  
particular situation.