

FISKE BROTHERS REFINING CO -- L0113-001, LUBRIPLATE AERO -- 9150-00-068-6268

=====  
Product Identification  
=====

Product ID:L0113-001, LUBRIPLATE AERO

MSDS Date:01/01/2000

FSC:9150

NIIN:00-068-6268

Status Code:A

MSDS Number: CLMDG

=== Responsible Party ===

Company Name:FISKE BROTHERS REFINING CO

Address:1500 OAKDALE AVE, STATION A

Box:8038

City:TOLEDO

State:OH

ZIP:43605-3843

Country:US

Info Phone

Num:419-691-2491

Emergency Phone Num:1-800-255-3924 (CHEM-TEL)

Preparer's Name:JAMES R. KONTAK

CAGE:9N579

=== Contractor Identification ===

Company Name:FISKE BROTHERS REFINING CO

Address:1500 OAKDALE AVE

Box:City:TOLEDO

State:OH

ZIP:43605

Country:US

Phone:419-691-2491

CAGE:9N579

Company Name:LEXMARK INTL INC

Address:740 WEST NEW CIRCLE RD

Box:City:LEXINGTON

State:KY

ZIP:40550-1876

Country:US

Phone:859-232-3000/859-232-3333

CAGE:05487

=====  
Composition/Information on Ingredients  
=====

=====

Ingred Name:NON-HAZARDOUS (LITHIUM SOAP, MINERAL OIL, ADDITIVES)  
= Wt:100.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:NOT PROVIDED  
ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION. PRODUCT CONTACTING THE EYES MAY CAUSE EYE IRRITATION. HUMAN HEALTH RISKS VARY FROM PERSON TO PERSON. AS A PRECAUTION, EXPOSURE TO LIQUIDS, VAPORS, MISTS AND FUMES SHOULD BE MINIMIZED. THIS PRODUCT HAS A LOW ORDER OF TOXICITY, BUT MINUTE AMOUNTS ASPIRED INTO THE LUNGS DURING INGESTION MAY CAUSE MILD TO SEVERE PULMONARY INJURY  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION. PRODUCT CONTACTING THE EYES MAY CAUSE EYE IRRITATION.  
Medical Cond Aggravated by Exposure:NOT PROVIDED

===== First Aid Measures =====

First Aid:EYE: FLUSH WITH CLEAR WATER FOR 15 MINUTES OR UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.  
SKIN: REMOVE ANY CONTAMINATED CLOTHING AND WASH WITH SOAP AND WARM WATER. IF INJECTED BY HIGH PRESSURE UNDER SKIN, REGARDLESS OF THE APPEARANCE OR ITS SIZE, CONTACT A PHYSICIAN IMMEDIATELY. DELAY MAY CAUSE LOSS OF AFFECTED PART OF THE BODY. INHALATION: VAPOR PRESSURE IS VERY LOW AND INHALATION AT ROOM TEMPERATURE IS NOT A PROBLEM. IF OVERCOME BY VAPOR FROM HOT PRODUCT, IMMEDIATELY REMOVE FROM EXPOSURE AND CALL A PHYSICIAN. INGESTION: IF INGESTED, CALL A PHYSICIAN IMMEDIATELY. DO NOT INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:~190.6C, 375.F  
Lower Limits:0.9%  
Upper Limits:7.0%  
Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE OR WATER SPRAY (FOG)  
Fire Fighting Procedure

res:COOL EXPOSED CONTAINERS WITH WATER. USE  
AIR-SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED OR CONFINED SPACES.  
Unusual Fire/Explosion Hazard:DO NOT STORE OR MIX WITH STRONG OXIDANTS.  
EMPTY CONTAINERS RETAIN RESIDUE. DO NOT CUT, DRILL, GRIND, OR WELD  
AS THEY MAY EXPLODE.

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP GREASE, WASH REMAINDER WITH SUITABLE  
PETROLEUM SOLVENT OR ADD ABSORBENT. KEEP PETROLEUM PRODUCTS OUT OF  
S  
EWERS AND WATER COURSES. ADVISE AUTHORITIES IF PRODUCT HAS  
ENTERED OR MAY ENTER SEWERS AND WATER COURSES.  
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN  
USE. DO NOT HANDLE OR STORE NEAR HEAT, SPARKS, FLAME OR STRONG  
OXIDANTS.  
Other Precautions:REMOVE OIL-SOAKED CLOTHING AND LAUNDRY BEFORE REUSE.  
CLEANSE SKIN THOROUGHLY AFTER CONTACT.

===== Exposur  
e Controls/Personal Protection =====

Respiratory Protection:NORMALLY NOT NEEDED  
Ventilation:LOCAL EXHAUST: USED TO CAPTURE FUMES AND VAPORS  
Protective Gloves:USE OIL-RESISTANT GLOVES, IF NEEDED.  
Eye Protection:IF CHANGE OF EYE CONTACT, WEAR GOGGLES  
Other Protective Equipment:USE OIL-RESISTANT APRON, IF NEEDED.  
Work Hygienic Practices:NOT PROVIDED  
Supplemental Safety and Health  
ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT AVAILABLE. N/K =  
UNKNOWN. N/P = NOT PROVIDED. N/R = NOT REL  
EVANT. N/D = NOT  
DETERMINED. N/E = NOT ESTABLISHED.

===== Physical/Chemical Properties =====

HCC:V6  
NRC/State Lic Num:NOT RELEVANT  
Boiling Pt:>287.8C, 550.F  
Melt/Freeze Pt:M.P/F.P Text:SEMI-SOLID  
Decomp Temp:Decomp Text:NOT PROVIDED  
Vapor Pres:< 0.01 (MM HG)  
Vapor Density:> 5(AIR=1)  
Spec Gravity:0.884 (H2O=1)  
Evaporation Rate & Reference:< 0.01 (BUTYL ACETATE=1)  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:SMOOTH, OFF-WHITE GREASE WITH MINERAL OIL ODOR

Percent Volatiles by Volume:NOT PROVIDED

Corrosion Rate:NOT PROVIDED

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT WITH STRONG OXIDANTS LIKE LIQUID CHLORINE, COMCENTRATED OXYGEN.

Hazardous Decomposition Products:MAY FORM SO2. IF INCOMPLETE COMBUSTION, CARBON MONOXIDE.

===== Toxicological Information =====

Toxicological Information:NOT PROVIDED

===== Ecologica  
I Information =====

Ecological:NOT PROVIDED

===== Disposal Considerations =====

Waste Disposal Methods:ASSURE CONFORMITY WITH APPLICALBE DISPOSAL REGULATIONS. DISPOSE OF ABSORBED MATERIAL AT AN APPROVED WASTE DISPOSAL FACILITY OR SITE

===== MSDS Transport Information =====

Transport Information:NOT PROVIDED

===== Regulatory Information =====

SARA Title III Information:N  
OT PROVIDED

Federal Regulatory Information:NOT PROVIDED

State Regulatory Information:NOT PROVIDED

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person util

izing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.