

DEFENSE SUPPLY CENTER RICHMOND, ATTN: DSCR-VBA -- NITROGEN, COMPRESSED, (SEE SUPPL) -- 4920-01-064-7990

===== Product Identification =====

Product ID:NITROGEN, COMPRESSED, (SEE SUPPL)

MSDS Date:09/27/2001

FSC:4920

NIIN:01-064-7990

Status Code:A

Kit Part:Y

MSDS Number: CLMPX

=== Responsible Party ===

Company Name:DEFENSE SUPPLY CENTER RICHMOND, ATTN: DSCR-VBA

Address:8000 JEFFERSON DAVIS HIGHWAY

City:

City:RICHMOND

State:VA

ZIP:23297-5607

Country:US

Info Phone Num:804-279-4371, DSN 695-4371

Emergency Phone Num:804-279-4371

Preparer's Name:DSCR-VBA

CAGE:SO004

=== Contractor Identification ===

Company Name:DEFENSE SUPPLY CENTER RICHMOND, ATTN: DSCR-VBA

Address:8000 JEFFERSON DAVIS HIGHWAY

Box:City:RICHMOND

State:VA

ZIP:23297-5607

Country:US

Phone:804-279-4371, DSN 695-4371

CAGE:SO004

===== Composition/Information on Ingredients =====

Ingred Name:NITROGEN

CAS:7727-37-9

RTECS #:

QW9700000

= Wt:100.

Code:F

ACGIH TLV:ASPHYXIAN; 9596

=====  
===== Hazards Identification =====  
=====

LD50 LC50 Mixture:NOT RELEVANT

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS: LUNGS, CNS. ACUTE-  
ASPHYXIAN. INHALATION: AT 2-3% CONCENTRATION, SYMPTOMS OF ASPHYXIA  
OCCURS; 3-5% CAUSES INCREASED RESPIRATION AND HEADACHE; UP TO 15%  
CAUSES UNCONSCIOUSNESS.

HIGHER C ONCENTRATIONS CAUSE RAPID  
CIRCULATORY INSUFFICIENCY LEADING TO COMA AND DEATH. EYE/SKIN/ORAL:  
UNLIKELY (GAS). CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:HEADACHE, RAPID RESPIRATION, REDUCED  
CONSCIOUSNESS OF SURROUNDINGS, RINGING IN THE EARS, LOSS OF BALANCE  
OR DIZZINESS, TINGLING OF THE TONGUE, FINGERTIPS OR TOES, TIGHTNESS  
IN THE FRONTAL AREA OF THE FOREHEAD, WEAKENED SPEECH LEADING TO  
THE INABILITY TO UTTER SOUNDS, NAUSEA, UN  
CONSCIOUSNESS, DEATH

=====  
===== First Aid Measures =====  
=====

First Aid:PROMPT MEDICAL ATTENTION IS MANDATORY IN ALL CASES OF  
OVEREXPOSURE. RESCUE PERSONNEL SHOULD WEAR SELF-CONTAINED BREATHING  
APPARATUS. INHALED:REMOVE TO FRESH AIR. PROVIDE OXYGEN/CPR IF  
NEEDED. EYE/SKIN /ORAL: UNLIKELY (GAS)

=====  
===== Fire Fighting Measures =====  
=====

Flash Point:NONE

Lower Limits:NOT RELEVANT

Upper Limits:NOT RELEVANT

Extinguishing Media:USE

WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL FOR SURROUNDING FIRE. KEEP FIRE-EXPOSED CYLINDERS COOL  
WITH WATER.

Fire Fighting Procedures:AS WITH ANY FIRE, WEAR PROTECTIVE CLOTHING AND  
NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS IF NEEDED.

Unusual Fire/Explosion Hazard:CYLINDERS MAY RUPTURE VIOLENTLY.

=====  
===== Accidental Release Measures =====  
=====

Spill Release Procedures:EVACUATE ALL PERSONNEL FROM AFFECTED AREA. USE  
APPROPRIATE PROTECTIVE EQUIPM

ENT. VENTILATE AREA. IF LEAK IS FROM  
CYLINDER OR ITS VALVE, CONTACT SUPPLIER. THE ATMOSPHERE MUST HAVE  
AT LEAST 19.5% OXYGEN BEFORE PERSONNEL CAN BE ALLOWED IN THE AREA.  
Neutralizing Agent:NOT RELEVANT

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE CYLINDERS UPRIGHT, SECURE, IN  
COOL, DRY, VENTILATED AREA BELOW 125F. PROTECT FROM PHYSICAL  
DAMAGE. FULL AND EMPTY CYLINDERS SHOULD BE SEGREGATED.

Other Precautions:AVOID BR  
EATING GASES. KEEP OUT OF REACH OF CHILDREN.  
USE IN WELL VENTILATED AREA.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:IF OXYGEN LEVEL IS BELOW 19.5%, USE  
NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OR SUPPLIED AIR  
RESPIRATOR, OPERATED IN POSITIVE PRESSURE MODE.

Ventilation:ADEQUATE

Protective Gloves:LEATHER WHEN HANDLING CYLINDERS

Eye Protection:GOGGLES/GLASSES RECOMMENDED

Other Protective Equipment:SAFETY SHOES WHEN HANDLING CY  
LINDERS

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

THIS ENTRY DESCRIBES THE COMPRESSED NITROGEN, PART OF PRESSURE CONTROL  
AND ACCESSORY GROUP FOR THE END ITEM: TEST SET FOR ACFT F-16.

=====  
Physical/Chemical Properties  
=====

HCC:G3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:-320F,-196C

Melt/Freeze Pt:M.P/F.P Text:-346F,-210C

Vapor Density:0.97

Spec Gravity:0.8083 (LIQU  
ID)

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:NOT RELEVANT (GAS)

Solubility in Water:VERY SLIGHT

Appearance and Odor:COLORLESS GAS - ODORLESS

Percent Volatiles by Volume:100

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
NONE

Stability Condition to Avoid:HEATING CYLINDER

Hazardous Decomposition Products:NONE

=====  
Disposal Considerations  
=====

Waste Disposal Methods:DO NOT ATTEMPT TO

DISPOSE OF RESIDUAL OR UNUSED

QUANTITIES. RETURN IN THE SHIPPING CONTAINER PROPERLY LABELED, WITH ANY VALVE OR CAPS SECURED TO YOUR SUPPLIER FOR PROPER DISPOSAL.

===== MSDS Transport Information =====

Transport Information: PROPER SHIPPING NAME: NITROGEN; UN 1066.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no man

ner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.