View NSN Online: https://aerobasegroup.com/nsn/6140-00-411-9967

PLAINVIEW BATTERIES INC -- NICKEL CADMIUM BATTERY -- 6140-00-411-9967

============= Product Identification ========================

Product ID:NICKEL CADMIUM BATTERY

MSDS Date:06/25/1991

FSC:6140

NIIN:00-411-9967

Status Code:A

MSDS Number: CLPPB === Responsible Party ===

Company Name: PLAINVIEW BATTERIES INC

Address:23 NEWTOWN RD

City:PLAINVIEW

State:NY ZIP:11803 Country:US

Info Phone Num:516-249-2873 Emergency Phone Num:51

6-249-2873

Preparer's Name: BERNARD ERDE

CAGE:0LEJ1

=== Contractor Identification ===

Company Name: PLAINVIEW BATTERIES INC

Address:23 NEWTOWN RD

Box:City:PLAINVIEW

State:NY ZIP:11803 Country:US

Phone:516-249-2873

Contract Num:SP0430-00-M-G544

CAGE:0LEJ1

======= Composition/Information on Ingredients ========

Ingred Name:NICKEL AND NICKEL HYDROXIDE

= Wt:14.

Ingred Name: CADMIUM AND CAMDMIUM HYDROXIDE

= Wt:20.

Ingred Name: GRAPHITE POWDER

= Wt:.5

Ingred Name:POTASSIUM HYDROXIDE

CAS:

ACGIH STEL:C2 MG/M3 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS				
Ingred Name:OTHER MATERIAL , WATER AND IRON				
=========== Hazards Identification ============				
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Health Hazards Acute and Chronic:ELECTROLYTE IS CAUSTIC. CONTACT WITH SKIN OR EYES MAY CAUSE IRRITATION. Effects of Overexposure:IRRITATION.				
======================================				
First Aid:EYE/S KIN: FLUSH WITH PLENTY OF RUNNING WATER FOR AT LEAST 15 MINUTES & CONTACT A PHYSICIAN.				
======================================				
Unusual Fire/Explosion Hazard:CADMIUM FUMES MAY BE RELEASED DURING BURNING.				
======== Accidental Release Measures =========				
Spill Release Procedures:FLUSH ELECTROLYTE SPILLS WITH WATER.				
========== Handling and Storage ============				
Handling and Storage Precautions:DO NOT SHORT CIRCUIT; M				
AY CAUSE BURNS. Other Precautions:AVOID INCINERATION OR MUTILATION.				
====== Exposure Controls/Personal Protection ========				
Supplemental Safety and Health THIS IS A SEALED NICAD BATTERY.				
========= Physical/Chemical Properties ==========				
HCC:Z5				
========= Stability and Reactivity Data ==========				
Hazardous Decomposition Products:DO NOT INCINERATE OR MUTILATE; MAY BURST OR RELEASE TOXIC MATERIALS. Conditions to Avoid Polymerization:WILL NOT O				

1310-58-3

= Wt:10.

RTECS #:TT2100000

\sim 1	ID	
 	ıĸ	

====== Disposal Considerations ==========

Waste Disposal Methods: IN ACCORDANCE WITH LOCAL, STATE, FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.