

P-T TECHNOLOGIES INC -- DEGREASER SOLVENT -- 7930-01-328-2030

===== Product Identification =====

Product ID:DEGREASER SOLVENT

MSDS Date:09/23/1997

FSC:7930

NIIN:01-328-2030

Status Code:A

MSDS Number: CLQMS

=== Responsible Party ===

Company Name:P-T TECHNOLOGIES INC

Address:108 4TH AVENUE, SOUTH

City:SAFETY HARBOR

State:FL

ZIP:34695

Country:US

Info Phone Num:813-726-4644

Emergency Phone Num:1-800-

441-7874

Preparer's Name:ERNEST CARTER

Chemtec Ind/Phone:(800)424-9300

CAGE:0JVH6

=== Contractor Identification ===

Company Name:P-T TECHNOLOGIES INC

Address:108 4TH AVENUE, SOUTH

Box:City:SAFETY HARBOR

State:FL

ZIP:34695

Country:US

Phone:813-726-4644

CAGE:0JVH6

===== Composition/Information on Ingredients =====

Ingred Name:ORANGE OIL CALIFORNIA, SWEET, TERPENES

CAS:68647-72-3

Ingred Name:NORMAL PARAFFINS (PETROLEUM)

CAS:64771-72-8

===== Hazards Identifica

tion =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:EYE CONTACT: MAY CAUSE IRRITATION, TEARING AND REDNESS. DOES NOT INJURE EYE. SKIN CONTACT: PROLONGED OR REPEATED CONTACT WITH SKIN MAY CAUSE DEFATTING OR DRYNESS OF SKIN. INHALATION: EXCESSIVE INHALATION OF VAPORS CAN CAUSE IRRITATION OF THE RESPIRATORY TRACT, NAUSEA, DIZZINESS OR HEADACHE. INGESTION: PRODUCT HAS LOW ORDER OF ACUTE ORAL TOXICITY, BUT

INGESTION OF LARGE QUANTITIES MAY CAUSE NAUSEA, VOMITING, AND GASTROINTESTINAL IRRITATION.

Medical Cond Aggravated by Exposure:

===== First Aid Measures =====

First Aid:EYE CONTACT: FLUSH WITH WATER FOR 15 MINUTES. CONTACT PHYSICIAN. SKIN CONTACT: WASH THOROUGHLY WITH SOAP AND WATER.REMOVE CONTAMINATED CLOTHING. INHALATION: IF AFFECTED BY VAPORS, GET TO FRESH AIR. SEE PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. PRODUCT CONTAINS HYDROCARBON. CONSULT PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=62.2C, 144.F

Autoignition Temp:=210.C, 410.F

Lower Limits:1.3%

Upper Limits:8.9%

Fire Fighting Procedures:EXTINGUISH WITH CO2, FOAM OR DRY CHEMICAL. CLASS B FIRE PROCEDURES.

Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID. CAN FORM COMBUSTIBLE MIXTURES AT OR ABOVE FLASH POINT.

===== Accidental Release Measures =====

Spill R

Release Procedures:REMOVE IGNITION SOURCES. CONTAIN THE SPILL. RECOVER FREE PRODUCT. ABSORB WITH SUITABLE CHEMICAL ABSORBENT FOR DISPOSAL VIA INCINERATION OR BURIAL IN APPROVED LANDFILL. OBSERVE LOCAL, STATE AND FEDERAL REGULATIONS. WATER SPILL: REMOVE FROM WATER BY SKIMMING OR USE OF SUITABLE ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:AMBIENT. KEEP AWAY FROM HEAT SOURCES, OPEN FLAMES AND OTHER IGNITION SO

URCES. KEEP PRODUCT CONTAINERS

CLOSED WHEN NOT IN USE. USE PROPER GROUNDING PROCEDURES.

Other Precautions:KEEP AWAY FROM HEAT SOURCES, OPEN FLAMES AND OTHER
IGNITION SOURCES. KEEP PRODUCT CONTAINERS CLOSED WHEN NOT IN USE.

=====
===== Exposure Controls/Personal Protection =====

Ventilation:THE USE OF MECHANICAL DILUTION VENTILATION IS RECOMMENDED.

Protective Gloves:SOLVENT RESISTANT GLOVES

Eye Protection:SAFETY GLASSES ARE RECOMMENDED

Supplemental Safety and Health

=====

===== Physical/Chemical Properties =====

Boiling Pt: