

GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT -- SILICONE CATALYST SOLUTION MIXTURE -- 8030-00-761-4040

===== Product Identification =====

Product ID:SILICONE CATALYST SOLUTION MIXTURE

MSDS Date:01/28/1999

FSC:8030

NIIN:00-761-4040

Status Code:A

MSDS Number: CLQVV

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:HUDSON RIVER RD

City:WATERFO

RD

State:NY

ZIP:12188

Country:US

Info Phone Num:518-237-3330/800-332-3390

Emergency Phone Num:518-237-3330

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

===== Composition/Information on Ingredients =====

Ingred Name:DIBUTYL TIN DILAU

RATE

CAS:77-58-7

RTECS #:WH7000000

Minumum % Wt:80.

Maxumum % Wt:99.

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION: HARMFUL IF SWALLOWED. SKIN

CONTACT: CAUSES MODERATE SKIN IRRITATION. HARMFUL IF ABSORBED

THROUGH THE SKIN. INHALATION: VAPORS GIVEN OFF BY HEATED PRODUCT

MAY BE HARMFUL. EYE CONTACT: CAUSES SEV

ERE EYE IRRITATION.

SUBCHRONIC (TARGET ORGAN) EFFECTS: CENTRAL NERVOUS SYSTEM DAMAGE.

EYE CONTACT: CAUSES SEVERE EYE IRRITATION.

Explanation of Carcinogenicity:THIS PRODUCT OR ONE OF ITS INGREDIENTS
PRESENT 0.1% OR MORE IS NOT LISTED AS A CARCINOGEN OR SUSPECTED
CARCINOGEN BY NTP, IARC, OR OSHA.

Medical Cond Aggravated by Exposure:CENTRAL NERVOUS SYSTEM DISORDERS.

===== First Aid Measures =====

First Aid:INGESTION: DO NOT INDUCE VOMITING. S

LOWLY DILUTE WITH 1-2

GLASSES OF WATER OR MILK AND SEEKL MEDICAL ATTENTION. NEVER GIVE
ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. SKIN: REMOVE
CONTAMINATED CLOTHIN G AND LAUNDER BEFORE REUSE. WASH WITH SOAP AND
WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION:
MOVE PERSON TO FRESH AIR. EYES: IN CASE OF CONTACT, OR SUSPECTED
CONTACT, IMMEDIATELY FL USH EYES WITH PLENTY OF WATER FOR AT LEAST
15 MINUTES AND GET MEDICAL ATTENTION.

===== F
ire Fighting Measures =====

Flash Point Method:COC

Flash Point:=235.C, 455.F

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA.

Fire Fighting Procedures:WEAR RESPIRATORY PROTECTION IF IN A CONFINED
AREA.

Unusual Fire/Explosion Hazard:SENSITIVITY TO STATIC DISCHARGE IS NOT
EXPECTED. WEAR RESPIRATORY PROTECTION IN CONFINED AREAS.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL

AND PUT IN A CONTAINER FOR DISPOSAL. WEAR PROPER PROTECTIVE
EQUIPMENT AS SPECIFIED IN THE PROTECTIVE EQUIPMENT SECTION. WARN
OTHER WORKERS OF SPILL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE
. AVOID CONTACT WITH SKIN AND EYES. WASH HANDS BEFORE EATING AND
SMOKING.

===== Exposure Controls/Personal Protection =====

Ventilation:USE ONLY IN WELL VENTILATED AREA.

P

rotective Gloves:RUBBER GLOVES.
Eye Protection:SAFETY GLASSES. MONOGOGGLES.
Other Protective Equipment:RUBBER APRON.
Work Hygienic Practices:SHOWERS. EYEWASH STATIONS.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:=204.4C, 400.F
Melt/Freeze Pt:=18.3C, 65.F
Vapor Pres:NEGL.
Vapor Density:21.8
Spec Gravity:1.035
VOC Pounds/Gallon:27
Evaporation Rate & Reference:2,000 (RBT)
-ACUTE INHALATION LC50 (MG/L): NONE FOUND. OTHER NO
NE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH
FEDERAL, STATE AND LOCAL REGULATIONS..INCINERATION RECOMMENDED IN
APPROVED INCINERATOR ACCORDING TO FEDERAL, STATE, AND LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever

,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.