Product ID:RITE-LOK RT09-10 MSDS Date:02/26/1996 FSC:8030 NIIN:00-180-6150 Status Code:A MSDS Number: CLQYH === Responsible Party === **Company Name: CHEMENCE INC** Address:6425 INDUSTRIAL WAY City:ALPHARETTA State:GA ZIP:30201 Country:US Info Phone Num:404-664-6624 Emergency Phone Num:770-664-6624 Preparer's Name: **HENRY SIMMONS** CAGE:0ZDS4 === Contractor Identification === **Company Name: CHEMENCE INC** Address:6425 INDUSTRIAL WAY City:ALPHARETTA State:GA ZIP:30201 Country:US Phone:404-664-6624 CAGE:0ZDS4

Ingred Name:SACCHARIN CAS:81-07-2 RTECS #:DE4200000 = Wt:3. EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:N,N-DIALKYLTOLUIDINE CAS:613-48-9 = Wt:1.

Ingred Name:POLYOXYETHYLENE DIMETHACRYLATE CAS:25852-47-5 = Wt:68.

Ingred Name:HYDR

OXYETHYL METHACRYLATE CAS:868-77-9 RTECS #:OZ4725000 = Wt:18.

Ingred Name:COUMARONE INDENE CAS:63393-89-5 = Wt:7. OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name:CUMENE HYDROPEROXIDE CAS:80-15-9 RTECS #:MX2450000 = Wt:3. EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Effects of Overexposure: PROLONGED SKIN CONTACT MAY RESULT IN DERMATITIS IN SENSITIVE PERSONS. WILL IRRITATE EYES ON CONTACT.

First Aid:WASH WITH SOAP AND WATER FOR SKIN CONTACT. FOR EYE CONTACT, FLUSH WITH PLENTY OF WATER. FOR INGESTION, DO NOT INDUCE VOMITING. CONTACT PHYSICIAN.

Flash Point Method:TCC Flash Point:>100.C, 212.F Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS Unusual Fire/Explosion Hazard:IRRITATING ORGANIC VAPORS

Spill Release Procedures: SOAK UP WITH INERT ABSORBENT Handling and Storage Precautions: STORE IN A COOL DRY PLACE AND OUT OF DIRECT SUNLIGHT Other Precautions: KEEP AWAY FROM CHILDREN Respiratory Protection: NONE NEEDED FOR NORMAL USE Ventilation: ENSURE ADEQUATE ROOM VENTILATION FOR COMFORTABLE WORKING CONDITIONS Protective Gloves: POLYETHYLENE OR RUBBER GLOVES. Eye Protection: SAFETY GLASSES Other Protective Equipment: BARRIER CREAMS RECOMMENDED Supplemental Safety and Health Boiling Pt:>204.4C, 400.F Vapor Pres:.01 (MM HG) Vapor Density:1.01 VOC Pounds/Gallon:374 Viscosity:100-500 Evaporation Rate & amp; Reference: VERY LOW Solubility in Water: INSOLUBLE Appearance and Odor: GREEN, MILD ORGANIC ODOR Percent Volatiles by Volu me:34 Stability Indicator/Materials to Avoid:YES **AVOID CONTAMINATION** Stability Condition to Avoid: TEMPERATURES IN EXCESS OF 150 DEGREES F Hazardous Decomposition Products:NONE Waste Disposal Methods: LANDFILL OR INCINERATE IN ACCORDANCE WITH EPA AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This informati

on is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.