

FLAMEMASTER CORP CHEM SEAL D -- CS 2725 (PART A)

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 00-670-8553
MSDS Date: 01/21/2000
MSDS Num: CLQYR
Product ID: CS 2725 (PART A)
MFN: 01
Responsible Party
Cage: 14439
Name: FLAMEMASTER CORP THE CHEM SEAL DIV
Address: 11120 SHERMAN WAY
City: SUN VALLEY
CA 91352-4949
Info Phone Number: 818-982-1650
Emergency Phone Number: 1-800-424-9300
Preparer's Name: ERNEST CARTER
Chemtrec IND/Phone: (800)424-9300
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 14439
Name: FLAMEMASTER CORP THE CHEM SEAL DIV
Address: 11120 SHERMAN WAY
City: SUN VALLEY CA 91352-4949
Phone: 818-982-1650

=====
Item
Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: KT
UI Container Qty: 6

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES
Skin: NO
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: FOR SENSITIVE INDIVIDUALS, REDNESS AND ITCHING OF SKIN
MAY OCCUR O

N REPEATED EXPOSURE. DERMATITIS MAY RESULT FROM PROLONGED OR FREQUENT CONTACT.

Signs And Symptoms Of Overexposure: EYE IRRITATION WITH TEARING AND REDNESS. ITCHING AND REDNESS OF SKIN.

Medical Cond Aggravated By Exposure: EZEMA OR PREVIOUS SKIN IRRITATION OR ALLERGY.

First Aid: EYES: FLUSH WITH FLOWING WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER.

=====
Handling and Disposal
=====

Spill Release Procedures: SCOOP UP AND RETURN TO CONTAINER. REMOVE RESIDUE WITH SOAP AND WATER OR 1,1,1 TRICHLOROETHANE.

Neutralizing Agent: AMINES, ORGANIC ACIDS.

Waste Disposal Methods: REACT WITH CURING AGENT AND DISPOSE AS NONHAZARDOUS SOLID, ACCORDING TO LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: STORE IN COOL DRY AREAS AWAY FROM DIRECT SUNLIGHT. KEEP IN CLOSED CONTAINERS.

Other Precautions: AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH CONTAMINATED CLOTHING BEFORE REUSE.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point: >93.3C, 200.F

Extinguishing Media: FOAM, DRY CHEMICAL, WATER SPRAY, CO2.

Fire Fighting Procedures: IN CONFINED AREAS, WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: NONE

=
Control Measures
=====

Respiratory Protection: MSHA/NIOSH APPROVED ORGANIC VAPOR RESPIRATORS FOR HOT MATERIAL.

Ventilation: LOCAL EXHAUST HOOD MECHANICAL FAN .

Protective Gloves: NITRILE OR NEOPRENE.

Eye Protection: SAFETY GLASSES WITH SPLASH GUARD.

Other Protective Equipment: APRON, SAFETY SHOES, EYE WASH STATION.

Work Hygienic Practices: DO NOT SMOKE, DRINK OR EAT IN WORK AREAS.

=====
Physi

cal/Chemical Properties

Boiling Point: >204.4C, 400.F

Vapor Pres: <1

Vapor Density: >1

Spec Gravity: 1.6

PH: 8.5

Viscosity: HEAVY MASTIC

Solubility in Water: SLIGHT

Appearance and Odor: WHITE PASTE

Percent Volatiles by Volume: 0.90

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: HIGH HEAT STRONG BASES.

Materials To Avoid: BASE COMPOUNDS, AMINES.

Hazardous Decomposition Products: ALDEHYDES, CARBON MONOXIDE, CARBON DIOXIDE, PHENOLICS, SOOT.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

HAZCOM Label

Product ID: CS 2725 (PART A)

Cage: 14439

Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV

Street: 11120 SHERMAN WAY

City: SUN VALLEY CA

Zipcode: 91352-4949

Health Emergency Phone: 1-800-424-9300

Label Required IND: Y

Date Of Label Review: 11/21/2001

Status Code: A

Origination Code: G

Hazard And Precautions: FOR SENSITIVE INDIVIDUALS, REDNESS AND ITCHING OF SKIN MAY OCCUR ON REPEATED EXPOSURE. DERMATITIS MAY RESULT FROM PROLONGED OR FREQUENT CONTACT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elemen

ts of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the

U

nited States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.