

PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY -- PR-1750 B-1/2
ACCELERATOR -- 8030-00-602-0045

===== Product Identification =====

Product ID:PR-1750 B-1/2 ACCELERATOR

MSDS Date:11/30/1998

FSC:8030

NIIN:00-602-0045

Status Code:A

MSDS Number: CLRRC

=== Responsible Party ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLEN

DALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-228-5635

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:HYDROGENATED TERPHENYL

CAS:61788

-32-7
RTECS #:WZ6535000
= Wt:30.
ACGIH TLV:4.9 MG/M3;0.5 PPM

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
< Wt:5.
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3

Ingred Name:TALC
CAS:14807-96-6
RTECS #:WW2710000
< Wt:5.
OSHA PEL:SEE TABLE Z-3
ACGIH TLV:2 MG/M3

Ingred Name:MANGANESE DIOXIDE
CAS:1313-13-9
RTECS #:OP0350000
= Wt:55.
OSHA PEL:C5 MG/M3
ACGIH TLV:5 MG/M3

Ingred Name:DIPHENYLGUANIDINE
CAS:102-06-7
RTECS #:MF0875000
< Wt:5.

===== Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:EYES: SEVERELY IRRITATING. SKIN: TOXIC
BY SKIN ABSORPTION. MAY BE A SENSITIZER. INHALATION: AIRBORNE
MATERIAL MAY PRODUCE IRRITATION, AND MAY BE ABSORBED THROUGH THE
LUNGS. INGESTION: TOXIC ON ORAL C ONSUMPTION. BASED ON
INCONCLUSIVE STUDIES, REPRODUCTIVE EFFECTS HAVE BEEN REPORTED.
Effects of Overexposure:EYES: HIGH CONCENTRATION OF DUST MAY CAUSE
IRRITATION. SK

IN: MAY CAUSE IRRITATION ON MOIST SKIN. INHALATION:
DUST MAY PRODUCE MANGANESE PNEUMONITIS. OVEREXPOSURE TO MANGANESE
DIOXIDE MAY PRODUCE MANGANESE POISONING WHICH IS UNLIKELY IN THE
NORMAL WORKPLACE SETTING. INGESTION: CAN BE ABSORBED THROUGH
DIGESTIVE SYSTEM AND RESULT IN APATHY, INSOMNIA, WEAKNESS IN LEGS,
MUSCULAR TWITCHING, EMOTIONAL DISTRESS.

===== First Aid Measures =====

First Aid: EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS
PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF
SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH
AIR. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN. INGESTION:
CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point: -93.3C, 200.F
Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER.
Fire Fighting Procedures: USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL
HEAT EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard: EXCESSIVE HEAT MAY CAUSE DECOMPOSITION
OF MANGANESE DIOXIDE, RESULTING IN OXIDATION AND POSSIBLE IGNITION
OF HYDROCARBON VEHICLE.

===== Accidental Release Measures =====

Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN UP RESIDUE WITH A
SUITABLE SOLVENT.

===== Handling and Storage =====

Handling and Storage Precautions: WASH THOROUGHLY AFTER HANDLING AND
BEFORE SMOKING OR EATING. AVOID INGESTION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT REQUIRED.
Ventilation: GENERAL VENTILATION.
Protective Gloves: SOLVENT RESISTANT GLOVES.
Eye Protection: SAFETY GLASSES.
Other Protective Equipment: NONE KNOWN.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: 644-644 DEG F
Spec Gravity: 1.97
Appearance and Odor: BLACK PASTE.

===== Stability and

Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

EASILY OXIDIZABLE MATERIALS.

Stability Condition to Avoid: NOT KNOWN.

Hazardous Decomposition Products: OXIDES OF CARBON AND NITROGEN,
MANGANESE COMPOUNDS.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods: NOT A HAZARDOUS WASTE ACCORDING TO EPA
REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF
SPILLAGE.

===== Regulatory Information =====

SARA Title III Information: SECTION 313-TOXIC CHEMICAL LIST (TCL): THIS
PRODUCT DOES NOT CONTAIN A TOXIC CHEMICAL FOR ROUTINE ANNUAL "TOXIC
CHEMICAL RELEASE REPORTING" UNDER SECTION 313 (40 CFR 372). SECTION
302-CERCLA: THIS PRODUCT CONTAINS NO CHEMICAL REGULATED UNDER
SECTION 302 AS EXTREMELY HAZARDOUS CHEMICALS FOR EMERGENCY RELEASE
NOTIFICATION (CERCLA LIST).

State Regulatory Information: CHEMICALS KNOWN
BY THE STATE OF CA TO

CAUSE CANCER: THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS CURRENTLY
ON THE CALIFORNIA LIST OF KNOWN CARCINOGENS. CHEMICALS KNOWN BY THE
STATE OF CA TO CAUSE REPRODUCTIVE TOXICITY: THIS PRODUCT CONTAINS
THE FOLLOWING CHEMICAL WHICH IS KNOWN TO THE STATE OF CALIFORNIA TO
CAUSE REPRODUCTIVE TOXICITY. 000108-88-3 TOLUENE.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.