View NSN Online: https://aerobasegroup.de/nsn/6850-01-175-7732

OLIN HUNT SPECIALTY PRODUCTS INC. SUB. OF OLIN COR -- COPIER DISPERSANT, #4537 --

6850-01-175-7732

Product ID:COPIER DISPERSANT, #4537

MSDS Date:06/14/1988

FSC:6850

NIIN:01-175-7732

Kit Part:Y

MSDS Number: BGPSV === Responsible Party ===

Company Name: OLIN HUNT SPECIALTY PRODUCTS INC. SUB. OF OLIN COR

Address: 5 GARRET MOUNTAIN PLAZA

City:WEST PATTERSON

State:NJ

ZΙ

P:07424 Country:US

Info Phone Num:203-789-5436

Emergency Phone Num:800-654-6911

CAGE:OLINH

=== Contractor Identification ===

Company Name: MCKENDREE WICO

Address:4210 COLLEY AVE

Box:6223

City:NORFOLK

State:VA

ZIP:23508-2508

Country:US CAGE:7E267

Company Name: OLIN CORPORATION

Address:501 MERRITT 7

Box:4500

City:NORWALK

State:CT

ZIP:06856-4500

Country:US

Phone:203-750-3000/800-511-MSDS

CAGE:99530

Company Name: OLIN HUNT SPECIALTY PRODUCTS INC.

Address: 5 GARRET MOUNTAIN PLAZA

City:WEST PATERSON

Sta

te:NJ ZIP:07424 Country:US Phone:203-789-5436 **CAGE:OLINH** Company Name: SAVIN CORP. Address: 9 WEST BROAD STREET Box:12070 City:STAMFORD State:CT ZIP:06904-2270 Country:US Phone:203-967-5000 CAGE:29382 ======= Composition/Information on Ingredients ======== Ingred Name: HYDROTREATED HEAVY NAPHTHA CAS:64742-48-9 Fraction by Wt: 100% ========== Hazards Identification ================ LD50 LC50 Mixture:LD50 > 5G/KG (RAT) Routes of Entry: Inhalation:YES Skin:YES Inge stion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:IRRITATION. CHRONIC:PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS: INHALATION OF VAPORS > 300 PPM ON THE LONG TERM BASIS MAY CAUSE LOW GRADE ANEMIA & MILD KIDNEY EFFECTS. Effects of Overexposure: SKIN, EYE & MUCOUS MEMBRANE IRRITATION; DIZZINESS, LIGHT-HEADEDNESS & NAUSEA. First Aid:INH:REMOVE TO FRESH AIR, CALL A PHY SICIAN; ING:DRINK PLENTY OF WATER TO DILUTE.DO NOT GIVE ANYTHING TO AN UNCONSCIOUS PERSON; SKIN/EYE:FLUSH WITH PLENTY OF WATER.

Flash Point Method:TCC Flash Point:102F,39C Lower Limits:0.7 Upper Limits:7

Extinguishing Media:WATER SPRAY,DRY CHEMICAL,FOAM OR CO2. WATER MAY BE INEFFECTIVE IN FIGHTING FIRE.

Fire Fighting Procedures: USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINER & DISPERSE UNIGNITED VAPORS. ALSO, US

E NIOSH/MSHA-APPROVED POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE STATED.
======== Accidental Release Measures =========
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. ADD NON-COMBUSTIBLE DRY ABSORBENT. CLEAN UP & PLACE IN AN APPROPRIATE CONTAINER.
======================================
Handling and Storage Precautions:DO NOT TAKE INTERNALLY. AVOID CONTACT WITH EYES,SKIN OR CLOTHING. STORE IN A COOL,DRY,WELL-VENTILATED PLACE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE USUALLY. Ventilation:ADEQUATE ROOM VENTILATION Protective Gloves:NONE USUALLY Eye Protection:SAFETY GLASSES Supplemental Safety and Health THIS PRODUCT USED IN SAVIN COPIER MODELS 5030/5040.
========== Physical/Chemical Properties ==========
HCC:F4 Boiling Pt:B.P. Text:313-380F Vapor Pres:33 MMHG Vapor Density:5.2 Spec G ravity:0.75 Evaporation Rate & Description Rat
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDANTS,LIQUID CHLORINE,CONCENTRATED OXYGEN, HYPOCHLORITES. Stability Condition to Avoid:HIGH HEAT & IGNITION SOURCES. Hazardous Decomposition Products:CO,CO2
======== Disposal Considerations ==

Waste Disposal Methods: CONSULT APPROPRIATE FEDERAL, STATE & LOCAL REGULATORY AGENCIES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional a dvice to verify and assume responsibility for the suitability of this information to their particular situation.