View NSN Online: https://aerobasegroup.de/nsn/6750-00-619-9943

## EASTMAN KODAK COMPANY -- 146 4080 KODAFIX SOLUTION -- 6750-00-619-9943

Product ID:146 4080 KODAFIX SOLUTION

MSDS Date:11/17/1993

FSC:6750

NIIN:00-619-9943

MSDS Number: BHJGC === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US

Info Phone Num:716-722-5151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

====== Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 50 - 55%

Ingred Name: AMMONIUM THIOSULFATE

CAS:7783-18-8

RTECS #:XN6465000 Fraction by Wt: 30 - 35%

Other REC Limits: NONE ESTABLISHED

Ing

red Name:SODIUM BISULFITE (SASA III)

CAS:7631-90-5

RTECS #:VZ2000000 Fraction by Wt: 1 - 5% OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM ACETATE

CAS:126-96-5

RTECS #:AJ4375000 Fraction by Wt: 1 - 5%

Other REC Limits: NONE ESTABLISHED

OSHA PEL:NONE ESTABLISHED ACGIH TLV:NONE ESTABLISHED

Ingred Name:ALUMINUM SULFATE (SARA III)

CAS:10043-01-3 RTECS #:BD1700000 Fraction by Wt: 1 - 5%

Other REC Limits: NONE ESTABLISHED

OSHA PEL:2 MG/M3

**ACGIH TL** 

V:2 MG/M3; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:BORIC ACID

CAS:10043-35-3 RTECS #:ED4550000 Fraction by Wt: 1 - 5%

Other REC Limits: NONE ESTABLISHED

Ingred Name: AMMONIUM SULFITE

CAS:10196-04-0

RTECS #:WT3505000 Fraction by Wt: 1 - 5%

Other REC Limits: NONE ESTABLISHED

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: ACETIC ACID (SARA III)

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 1 - 5% OSHA PEL:10 PPM

ACGIH TLV:10 PPM/15 STEL; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Q

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYES. ACUTE-INHALATION: EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. EYES:MAY CAUSE TRANSIENT IRRITATION, SKIN:LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION: EXPECTED TO BE A LO W INGESTION ZARD. CHRONIC- UNKNOWN. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: EYES IRRITATION First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP AND PLENTY OF WATER. INHALATION: REMOVE TO FRE SH AIR. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. ====== Fire Fig hting Measures ========== Flash Point:NONE Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCT. Unusual Fire/Explosion Hazard:NONE Spill Release Procedures:FL USH TO SEWER WITH LARGE AMOUNT OF WATER IF PERMITTED OR ABSORB SPILL WITH VERMICULITE, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION. Neutralizing Agent:NOT RELEVENT ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP CONTAINER CLOSED. STORE AWAY FROM

INCOMPATIBLE MATERIALS.

Other Precautions: WASH THOROUGHLY AFTER HANDLING. AVOID CONTACT WITH EYES. KEEP OUT OF REA

CH OF CHILDREN. USE WITH ADEQUATE VENTILATION.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE SHOULD BE NEEDED.  Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. TYPICALLY, 10 ROOM VOLUMES PER HR IS CONSIDERED GOOD GENERAL VENTILATION.  Protective Gloves:RUBBER/LATEX IF REPEATED CONTACT Eye Protection:SAFETY GLASSES WITH SIDE SHIELD/GOGGLES  Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING W
ork Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.
Supplemental Safety and Health FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN. ECOLOGICAL INFORMATION: THIS MATERIAL IS EXPECTED TO HAVE THE FOLLOWING PROPERTIES: A HIGH BIOCHEMICAL OXYGEN DEMAND, A LOW POTENTIAL TO AFFECT AQUATIC ORGANISMS. AFTER DILUTION WITH WATER, THIS MATERIAL IS NOT EXPECTED TO CAUSE ADVERSE EFFEC
TS.
========= Physical/Chemical Properties ==========
HCC:C3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:18 @ 68F Vapor Density:O.6 Spec Gravity:1.283 pH:4.9
Solubility in Water:COMPLETE Appearance and Odor:COLORLESS LIQUID, AMMONIA ODOR Percent Volatiles by Volume:54
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES BASES (LIBERATE FLAMMABLE MATERIAL), SODIUM HYPOCHLORITE (BLEACH),

STRONG OXIDIZING AGENTS
Stability Condition to Avoid:EXCESSIVE HEAT
Hazardous Decomposition Products:AMMONIA, CHORAMINE, NITROGEN OXIDES
(NOX), SULFUR DIOXIDE

======= Disposal Considerations ===========

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated fo r use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.