View NSN Online: https://aerobasegroup.de/nsn/6850-01-293-7736

VANSON HOLLAND INK CORPORATION OF AMERICA -- V2O81; EASY STREET, PRESS CLEANER -- 6850-01-293-7736

Product ID:V2O81; EASY STREET, PRESS CLEANER

MSDS Date:09/01/1991

FSC:6850

NIIN:01-293-7736

MSDS Number: BJZMD === Responsible Party ===

Company Name: VANSON HOLLAND INK CORPORATION OF AMERICA

Address:92 UNION STREET

City:MINEOLA

State:NY

ZIP:11501-3428 Country:US

In

fo Phone Num:516-294-8811

Emergency Phone Num:516-294-8811 & 800-645-4182

CAGE:EO322

=== Contractor Identification ===

Company Name: VAN SON HOLLAND INK CORP

Address:92 UNION STREET

City:MINEOLA

State:NY

ZIP:11501-3428 Country:US

Phone:516-294-8811

CAGE:55269

Company Name: VANSON HOLLAND INK CORPORATION OF AMERICA (DISTRIBO

Address:92 UNION STREET

City:MINEOLA

State:NY

ZIP:11501-3428 Country:US

Phone:516-294-8811

CAGE:EO322

Company Name: YOUNG PHILIPS SALES CO

Address:5120 GLEN ALDEN DRIVE

Box:City:

State:VA ZIP:23231
Country:US Phone:804-226-1212 CAGE:4L136
======= Composition/Information on Ingredients ========
Ingred Name:DIETHYL PHTHALATE (SARA III) CAS:84-66-2 RTECS #:TI1050000 Fraction by Wt: 33.0% Other REC Limits:NONE SPECIFIED OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
Ingred Name:OTHER COMPONENTS (TYPE NOT SPECIFIED) Other REC Limits:NONE SPECIFIED
Ingred Name:ROSIN ESTER CAS:65997-13-9 Fraction by Wt: 40-55% Other REC Limits:NONE SPECIFIED
======================================
LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:DIRECT SKIN CONTACT MAY CAUSE EYE IRRRITATION. PROLONGED SKIN CONTACT MAY CAUSE MINOR SKIN IRRITATION. Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCI NOGENIC BY NTP, IARC OR OSHA. Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION. Medical Cond Aggravated by Exposure:PERSONS WITH DERMATITIS SHOULD AVOID SKIN CONTACT.
======================================
First Aid:IN CASE OF EYE CONTACT, FLUSH WITH WATER. IF SWALLOWED, DO NOT INDUCE VOMITING. CONSULT PHYSICIAN. IN CASE OF SKIN CONTACT, WASH WITH SOAP AND WATER.
======================================
Flash Point

RICHMOND

Flash Point:350F,177C Extinguishing Media:FOAM, CARBON DIOXIDE, WATER FOG Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:NONE NOTED; COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.
========= Accidental Release Measures ===========
Spill Release Procedures:US E PROPER PERSONAL PROTECTION. CONTAIN FREE MATERIAL IF POSSIBLE. USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER. Neutralizing Agent:NOT APPLICABLE.
============= Handling and Storage ==============
Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE. Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BRE ATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT NEEDED IF USED WITH ADEQUATE VENTILATION. USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD
Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER, WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health
AVOID PROLONGÉD OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.
======================================
HCC:N1 Boiling Pt:B.P.

Method:COC

Text:560F,293C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:NOT GIVEN

Vapor Density:> 1

Spec Gravity: NOT GIVEN

Evaporation Rate & Properties (BUTYL ACETATE = 1)

Solubility in Water: NOT GIVEN

Appearance and Odor: VISCOUS AMBER PASTE

Percent Volatiles by Volume:1 -2%

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES NONE NOTED Stability Condition to Avoid:HIGH HEAT Hazardous Decomposition Products:NONE NOTED

==== Disposal Considerations =========

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES. DISPOSAL MUST BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and discl

aims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.