View NSN Online: https://aerobasegroup.de/nsn/5640-01-133-9762

INSTA-FOAM PRODUCTS INC -- FROTH-PAK 110, 180, 600/UTILI-FOAM 1.75 DENSITY, A COMPONENT -- 5640-01-133-9762 Product ID:FROTH-PAK 110, 180, 600/UTILI-FOAM 1.75 DENSITY, A COMPONENT MSDS Date:07/17/1995 FSC:5640 NIIN:01-133-9762 Kit Part:Y MSDS Number: BYGZC === Responsible Party === Company Name: INSTA-FOAM PRODUCTS INC Address:1500 CEDARWOOD DR **Box:NONE** City:JOLIE Т State:IL ZIP:60435 Country:US Info Phone Num:815-741-6800 Emergency Phone Num:815-741-6800 Preparer's Name:M ORTEGA CAGE:54577 === Contractor Identification === Company Name: INSTA-FOAM PRODUCTS INC Address:1500 CEDARWOOD DR Box:City:JOLIET State:IL ZIP:60435 Country:US Phone:815-741-6800 CAGE:54577 

Ingred Name:METHYLENE BISPHENYL ISOCYANATE (MDI) (SARA 313) CAS:101-68-8 RTECS #:NQ9350000 Fraction by Wt: 40-70% Other REC Lim its:0.005 PPM OSHA PEL:C 0.02 PPM ACGIH TLV:0.005 PPM; 9495 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:POLYMETHYLENE POLYPHENYLENE POLYISOCYANATE CAS:9016-87-9 RTECS #:TR0350000 Fraction by Wt: 40-70%

Ingred Name:CHLORODIFLUOROMETHANE (SARA 313) (CERCLA) CAS:75-45-6 RTECS #:PA6390000 Fraction by Wt: 7-13% Other REC Limits:1000 PPM OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9495 Ozone Depleting Chemical:2

LD50 LC50 Mixture:MDI LD50 (ORAL RAT) 15 GM/LG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:CAUTION! CONTENTS UNDER PRESSURE. IRRITATING TO EYES, SKIN & RESPIRATORY TRACT. MAY CAUSE SENSITIZATIO BY SKIN CONTACT & INHALATION. EXPOSURE TO INDIVIDUALS W/ASTHMA, ECZEMA &/OR ALLERGIES MAY AGGRAVA T EXISTING CONDITIONS. Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC. Effects of Overexposure:COUGHING, WHEEZING, SHORTNESS OF BREATH. Medical Cond Aggravated by Exposure:EXPOSURE TO INDIVIDUALS W/ASTHMA, ECZEMA &/OR ALLERGIES MAY AGGRAVATE EXISTING CONDITIONS.

First Aid:EYES:FLUSH W/CLEAN, LOW PRESSURE WATER FOR 15 MIN. WHILE HOLDING EYELIDS OPEN. SKIN:REMOVE CONTAMINATED CLOTHING, WASH W/SOAP & WATER. INHALATION:REMOVE

## TO FRESH AIR. INGESTION:GIVE LARGE AMOUNT OF LI QUIDS. DON'T INDUCE VOMITING.

Flash Point:>390F,>199C Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE

 Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. CONTAIN SPILL & COLLECT USING A SUITABLE ABSO
RBENT MATERIAL (SAWDUST/VERMICULITE). SHOVEL INTO WASTE CONTAINER ADDING DECONTAMINATE SOLUTION. LEAVE UNCOVERED FOR 24 HOURS PR IOR TO DISPOSAL.
Neutralizing Agent:DECONTAMINATE SOLUTION:90% WATER, 7% AMMONIA, 3% DETERGENT

Handling and Storage Precautions:CONTENTS UNDER PRESSURE. AVOID OPEN FLAMES. DO NOT PUNCTURE OR INCINERATE. STORORAGE TEMPERATURE