

LANIER WORLDWIDE INC -- TONER 5400

=====

MSDS Safety Information

=====

FSC: 6850

NIIN: 01-397-1908

MSDS Date: 10/30/1992

MSDS Num: CKYRQ

Product ID: TONER 5400

MFN: 01

Responsible Party

Cage: 76974

Name: LANIER WORLDWIDE INC

Address: 2300 PARKLAKE DR NE

City: ATLANTA GA 30345-2979

Info Pho

ne Number: 770-723-4208

Emergency Phone Number: 800-333-2679

Resp. Party Other MSDS No.: DOC NBR: FX-045; DPI I.D: 491-0182

=====

Item Description Information

=====

Item Manager: S9G

Item Name: TONER,INDIRECT ELECTROSTATIC PROCESSING

Specification Number: UNKNOWN

Unit of Issue: EA

UI Container Qty: 1

Type of Container: CARTRIDGE

=====

Ingredients

=====

Cas: 1317-61-9

Name: MAGNETITE (IRON OXIDE)

Percent by Wt: 20.

-----

Cas: 26655-10-7

Name: STYRENE ACRYLIC POLYMER

Percent by Wt: 50.

-----

Cas: 25322-69-4

RTECS #: OE5784360

Name: POLYPROPYLENE (POLYPROPYLENE GLYCOL)

Percent by Wt: 20.

-----

Cas: 1333-86-4

RTECS #: FF5800000

Name: CARBON BLACK

Percent by Wt: 2.

OSHA PEL: 3.5 MG/M3

ACGIH TLV: 3.5 MG/M3

ACGIH STEL:

NOT ESTABLISHED

Cas: 72869-85-3  
Name: METAL COMPLEX  
Percent by Wt: 5.

Cas: 68611-44-9  
Name: SILICON OXIDE  
Percent by Wt: 2.

Health Hazards Data

LD50 LC50 Mixture: LD50 ORAL >10G/KG FOR CARBON BLACK  
IARC: YES  
Effects of Exposure: INHALATION: MINIMAL IRRITATION TO RESPIRATORY TRACT MAY OCCUR AS WITH EXPOSURE TO ANY NON-TOXIC DUST. EYES: NOT AN EYE IRRITANT; DUST MAY CAUSE DISCOMFORT. SKIN: NOT A SKIN IRRITANT. INGESTION: CARBON BLACK IS LISTED BY IARC AS A SUSPECTED CARCINOGEN. ACUTE ORAL TOXICITY: GREATER THAN 10 G/KG BODY WEIGHT.  
Explanation Of Carcinogenicity: CARBON BLACK IS LISTED AS A SUSPECTED CARCINOGEN BY IARC.  
Signs And Symptoms Of Overexposure: INHALATION: MINIMAL IRRITATION TO RESPIRATORY. EYE: MECHANICAL DISCOMFORT.  
First Aid: INHALATION: REMOVE TO FRESH AIR, CONSULT LOCAL MEDICAL PERSONNEL.  
EYES: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP & WATER. INGESTION: DILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF WATER. SEEK MEDICAL HELP.

Handling and Disposal

Spill Release Procedures: SWEEP UP OR CLEAN UP WITH VACUUM CLEANER. REMOVE RESIDUE WITH SOAP AND WATER.  
Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE IN COOL, DRY PLACE. KEEP OUT OF REACH OF CHILDREN.  
Other Precautions: DO NOT HANDLE IN AREAS WHERE WIND BLOWS. AVOID PROLONGED INHALATION OF EXCESSIVE DUST.

Fire and Explosion Hazard Information

Flash Point: >400.C, 752.F  
Extinguishing Media: FOAM, WATER SPRAY, DRY CHEMICALS OR CO2.  
Fire Fighting Procedures: NO SPEC

IAL PROCEDURES.

Unusual Fire/Explosion Hazard: THE TONER IS A COMBUSTIBLE POWDER, WHEN  
DISPERSED IN AIR, IT FORMS AN EXPLOSIVE MIXTURE.

=====

Control Measures

=====

Respiratory Protection: N/P. : UNDER DUSTY CONDITIONS WEAR NIOSH APPROVED DUST  
MASK.

Ventilation: N/P. : GENERAL

Eye Protection: N/P. : CHEMICAL GOGGLES.

Work Hygienic Practices: WASH HAND AFTER USE.

Supplemental Safety and Health

: AVOID CREATING DUST OR USING UNDER DUSTY  
CONDITIONS.

=====

Physical/Chemical Properties

=====

HCC: N1

Spec Gravity: 1.0 - 1.9

Evaporation Rate & Reference: N/A (ETHER=1)

Solubility in Water: NEGLIGIBLE

Appearance and Odor: FINE BLACK POWDER, ODORLESS.

=====

Reactivity Data

=====

Stability

Indicator: YES

Stability Condition To Avoid: STABLE

Materials To Avoid: OXIDIZERS.

Hazardous Decomposition Products: CARBON MONXIDE, CARBON DIOXIDE, UNIDENTIFIED  
ORGANICS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====

=====

MSDS Transport Information

=====

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

==

Transportation Information

=====

Responsible Party Cage: 76974  
Trans ID NO: 156004  
Product ID: TONER 5400  
MSDS Prepared Date: 10/30/1992  
Review Date: 02/13/2001  
MFN: 1  
Multiple KIT Number: 0  
Unit Of Issue: EA  
Container QTY: 1  
Type Of Container: CARTRIDGE

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: TONER 5400  
Cage: 76974  
Company Name: LANIER WORLDWIDE INC  
Street: 2300 PARKLAKE DR NE  
City: ATLANTA GA  
Zipcode: 30345-2979  
Health Emergency Phone: 80

0-333-2679  
Label Required IND: Y  
Date Of Label Review: 02/13/2001  
Status Code: A  
Year Procured: 2001  
Origination Code: F  
Signal Word: CAUTION  
Respiratory Protection IND: YES  
Health Hazard: Slight  
Contact Hazard: Slight  
Fire Hazard: Slight  
Reactivity Hazard: None

Hazard And Precautions: INHALATION: MINIMAL IRRITATION TO RESPIRATORY TRACT MAY OCCUR AS WITH EXPOSURE TO ANY NON-TOXIC DUST. EYES: NOT AN EYE IRRITANT; DUST MAY CAUSE DISCOMFORT. SKIN: NOT A SKIN IRRITANT. INGESTION: CARBON BLACK IS LISTED BY IARC AS A SUSPECTED CARCINOGEN. ACUTE ORAL TOXICITY: GREATER THAN 10 G/KG BODY WEIGHT. FIRST AID: INHALATION: REMOVE TO FRESH AIR, CONSULT LOCAL MEDICAL PERSONNEL. EYES: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP & WATER. INGESTION: DILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF WATER. SEEK MEDICAL HELP.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.